



Compartment Review Presentation

Traverse City Forest Management Unit

Compartment 61010

Entry Year 2028

Acreage: 1,965

County: Benzie

Management Area: Grand Traverse Moraine

Stand Examiner: Melina Hurin

Legal Description:

T27N R13W Sections 19, 28-31, 33

Identified Planning Goals:

Compartment 10 is part of the Grand Traverse Moraine management area (MA). Vegetation management in this MA will provide forest products; maintain or enhance wildlife habitat; protect areas of unique character and threatened, endangered and special concern species, and provide for forest-based recreational uses and Native American non-commercial uses of forest products. Timber management for the next 10 years includes improving the age-class distribution of aspen and red pine. Northern hardwoods management includes continued selective or regeneration harvesting of northern hardwoods to achieve an uneven age-class structure or improve timber quality. Wildlife management objectives include increasing the structural complexity of northern hardwood communities for interior forest species and perpetuating early-successional communities for species adapted to young forests. Recreational trails and existing/potential forest health concerns will be taken into account for treatment proposals. There are several small to medium sized aspen regeneration harvests proposed throughout the compartment, as well as some hardwood selection cuts and pine thinnings. In contrast, some stands typed as aspen will be allowed to succeed naturally to hardwoods, having poor quality mature quaking aspen over well-stocked maple saplings.

Soil and topography:

The compartment contains primarily Kaleva, Grattan, Benzonia and Shavenaugh sand soil types, with occasional inclusions of muck soils in wetlands. Most of the compartment is within a pitted outwash plain landscape, with rolling terrain and numerous, often steep-sided kettle depressions. State owned parcels in the southeast part of the compartment are on outwash plain, and are flat to gently rolling, with some lowland forest along the Platte River floodplain and adjacent small lakes.

Ownership Patterns, Development, and Land Use in and Around the Compartment:

There is fairly solid state forest ownership to the west of the compartment, with some scattered blocks east of Maple City Hwy. Land to the west of the compartment is state land, whereas much of the west surrounding is privately owned. The Grand Traverse Regional Land Conservancy owns most of the land surrounding Lower Woodcock Lake, sharing ownership lines with Compartment 10 and 11. Large blocks of private land separate state lands within the compartment, and consist of active and idle farmlands, rural residential parcels, private timberlands, gravel pits, and a small airport. To the south are more state lands along the Platte River and some private land blocks. Development is relatively light along the river and lakeshores.

Unique Natural Features:

A short stretch of the Platte River runs through the east side of the compartment. There are also several small lakes in that area, with some state land frontage on Upper Woodcock Lake. Numerous kettle depressions are present, some of which have wetlands. Eliza Lake is the most prominent of these. Red-shouldered hawk and Goshawk habitat is present in forest cover around these lakes and wetlands.

Archeological, Historical, and Cultural Features:

No known Archaeological, Historical, and Cultural Features.

Special Management Designations or Considerations:

Scattered small patches/stands of older white pines and hemlocks can be retained to enhance local wildlife cover and biodiversity. Active management should be avoided on the floodplain and bluffs along the Platte River, as well as floodplain around Upper Woodcock Lake.

Watershed and Fisheries Considerations:

The Platte River and numerous small lakes are found within this compartment. The Platte River is a designated trout stream with naturally reproducing populations of both brown trout and rainbow trout. Reasonable buffers (as outlined in Water Quality Management Practices on Forest Land) should be adhered to around all the lakes and ponds in this

compartment. Existing buffers along Upper Woodcock Lake and the Platte River appear to be appropriate for the proposed treatments.

Wildlife Habitat Considerations:

Sandy soils predominate in compartment 10 and support large areas of aspen and mixed hardwoods. Natural disturbances on this landscape were wildfire and wind throws predominately. However, this compartment occupies a part of the landscape which may have been shielded from fire, to a degree. Some management for successional advanced hardwood/white pine stands is therefore fitting to this compartment. Hardwood treatments are typically designed to incorporate the preservation of within-stand tree species diversity, the retention of mature mast producing trees, and the protection of den, cavity, and downed trees. Beech bark disease and oak wilt issues are serious concerns for mast production. Steps should be taken to promote disease resistant species as well as to diversify the types of mast. Species benefiting from hardwood forests include red shouldered hawks, northern goshawks, wild turkeys, gray squirrels, and eastern box turtles. Beech is particularly important to wildlife in these drier hardwood types. Rare woodland hawks have been known to nest in this area; proposed timber sales in the vicinity of active nests should be adjusted to comply with the established DNR hawk nest guidelines. A portion of the Northwest section of this compartment was purchased with state game funds (200 acres). This compartment also has a history of aspen cutting toward increased age class diversity to benefit grouse, woodcock, golden-winged warbler, deer, and other species. Such early successional management will be continued in this area, with additional aspen harvests scheduled this period. Incorporating snags, leave trees, and downed material in these cuts will help to increase wildlife use and to replicate a wildfire-altered forest. Pine plantations can also be found here and where possible, hardwoods should be encouraged within these plantations for within stand diversity. Management of pine stands here should consider incorporating small (1-2 acre) islands that are left relatively un-thinned within mature stands to provide winter roosting cover for turkeys. Non-forested areas (openings) are an important community type on these typically fire driven landscapes. Several opening maintenance projects are proposed in the compartment to benefit openland species such as cedar waxwings, wild turkey, deer, blue racers, mourning doves, meadow voles, or red fox.

Mineral Resource and Development Concerns and/or Restrictions

There is no known potential for the occurrence of economic deposits of metallic minerals in this part of the state. The closest known active sand/gravel operation is just outside the compartment, in Sec 20. There is some potential for sand & gravel in the compartment on the uplands. The compartment is outside of the main Antrim Shale gas play, and the Antrim Shale beneath the compartment is believed to be relatively thin and pinching out to the northwest. A couple Antrim gas test wells have been drilled in the vicinity of the compartment, but no production has occurred. At current gas prices, even if wells in this area are capable of producing, it would not be economical to develop a new field here. Potential for future Antrim gas development is considered very low. Potential for oil & gas from other known producing formations beneath the compartment is considered low at this time. The State does not own all the mineral rights within the compartment. Because the mineral estate is the dominant estate, reasonable access to the surface must be provided to private owners if they choose to explore or develop their mineral rights.

Vehicle Access:

Access is reasonably good throughout the compartment for management and recreational use, except that the SENE of section 33 has no road frontage. Any new trails built for treatments should be closed off when no longer needed.

Survey Needs:

None needed at this moment.

Recreational Facilities and Opportunities:

A short stretch of the Platte River and a tributary are accessible from state land for walk-in fishing. The Shore-to-Shore equestrian & hiking trail traverses the compartment via Hooker and Burnt Mill roads. The Platte River Snowmobile Trail follows the south edge of section 31 along Oakley Road. Other recreational uses include hunting, berry picking, and mushrooming.

Fire Protection:

This area is protected by the Traverse City DNR office as well as by Almira Township Fire and Rescue. Access is not a real problem in this area. Fuel types here are primarily hardwood, and while there are some homes in the private land, urban interface is not too much of a problem. Close proximity to both the local VFD as well as the Traverse City DNR Office provide rapid response.

Additional Compartment Information:

There may be some minor trespass issues, particularly where private homes abut state property in section 33.

The following reports from the Inventory are attached:


- Total Acres by Cover Type and Age Class**
- Cover Type by Harvest Method**
- Proposed Treatments – No Limiting Factors**
- Proposed Treatments – With Limiting Factors**
- Stand Details (Forested and Nonforested)**
- Dedicated and Proposed Special Conservation Areas**
- Site Condition Details**

The following information is displayed, where pertinent, on the attached compartment maps:


- Base feature information, stand boundaries, cover types, and numbers**
- Proposed treatments**
- Site condition boundaries**
- Details on the road access system**

Field Map

Compartment: 61010
T27N R13W 19, 28-31, 33
County: Benzie
Unit: Traverse City
Mgmt. Area: Grand Traverse Moraine
YOE: 2028
Acres: 1,965.20 GIS Calculated
Examiner: Melina Hurin
Date Exported: 06/25/2026
Map Phase: Web Post




- Survey Grade Corners
- House
- Trailhead
- Berm
- Gate
- Designated Hiking Pathway
- Designated Bicycle Trails
- Designated Equestrian Trails
- Designated Ski Trails
- Designated Snowmobile
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State Highway
- Federal / State / County - Paved Road
- Federal / State - Dirt / Gravel Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Paved Road
- Private - Dirt / Gravel Road
- Streams
- Lakes and Rivers
- Compartment Boundary
- Treatments with Site Conditions
- Clearcut
- Selection
- Seed Tree
- Thinning
- Openings Mgmt.
- 411 - Northern Hardwood
- 413 - Aspen
- 419 - Mixed Upland Deciduous
- 421 - Planted Pines
- 422 - Natural Pines
- 430 - Upland Mixed Forest
- 500 - Water
- 611 - Lowland Deciduous Forest
- 613 - Lowland Mixed Forest
- 122 - Road/Parking Lot
- 310 - Herbaceous Openland
- 330 - Low Density Trees
- 622 - Lowland Shrub
- 623 - Emergent Wetland




Cover Type & Treatments Map


Compartment: 61010
T27N R13W 19, 28-31, 33
County: Benzie
Unit: Traverse City
Mgmt. Area: Grand Traverse Moraine
YOE: 2028
Acres: 1,965.20 GIS Calculated
Examiner: Melina Hurin
Date Exported: 06/25/2026
Map Phase: Web Post




- Survey Grade Corners
- Designated Hiking Pathway
- Designated Bicycle Trails
- Designated Equestrian Trails
- Designated Ski Trails
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- Federal / State - Dirt / Gravel Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Streams
- Lakes and Rivers
- Compartment Boundary
- Clearcut
- Selection
- Seed Tree
- Openings Mgmt.
- 411 - Northern Hardwood
- 413 - Aspen
- 419 - Mixed Upland Deciduous
- 421 - Planted Pines
- 422 - Natural Pines
- 430 - Upland Mixed Forest
- 500 - Water
- 611 - Lowland Deciduous Forest
- 613 - Lowland Mixed Forest
- 122 - Road/Parking Lot
- 310 - Herbaceous Openland
- 330 - Low Density Trees
- 622 - Lowland Shrub
- 623 - Emergent Wetland




Compartment: 61010
T27N R13W 19, 28-31, 33
County: Benzie
Unit: Traverse City
Mgmt. Area: Grand Traverse Moraine
YOE: 2028
Acres: 1,965.20 GIS Calculated
Examiner: Melina Hurin
Date Exported: 06/25/2026
Map Phase: Web Post




-  Survey Grade Corners
 Designated Hiking Pathway
 Designated Equestrian Trails
 Designated Snowmobile
 DNR - Secondary Forest Road
 DNR - Forest Access Route
 Federal / State / County - Paved Road
 Federal / State - Dirt / Gravel Road
 County - Gravel Road
 County - Dirt Road (Seasonal)
 Private - Dirt / Gravel Road
 Streams
 Lakes and Rivers
 Compartment Boundary
 Treatments with Site Conditions
 Clearcut
 Selection
 Seed Tree
 Thinning
 Openings Mgmt.
 411 - Northern Hardwood
 413 - Aspen
 421 - Planted Pines
 422 - Natural Pines
 430 - Upland Mixed Forest
 500 - Water
 310 - Herbaceous Openland
 330 - Low Density Trees
 623 - Emergent Wetland



Compartment: 61010
T27N R13W 19, 28-31, 33
County: Benzie
Unit: Traverse City
Mgmt. Area: Grand Traverse Moraine
YOE: 2028
Acres: 1,965.20 GIS Calculated
Examiner: Melina Hurin
Date Exported: 06/25/2026
Map Phase: Web Post




-  Survey Grade Corners
 Designated Hiking Pathway
 Designated Bicycle Trails
 Designated Equestrian Trails
 Designated Ski Trails
 DNR - Secondary Forest Road
 DNR - Forest Access Route
 Federal / State / County - Paved Road
 Federal / State - Dirt / Gravel Road
 County - Gravel Road
 County - Dirt Road (Seasonal)
 Private - Dirt / Gravel Road
 Streams
 Lakes and Rivers
 Compartment Boundary
 Stand Outline
411 - Northern Hardwood
413 - Aspen
419 - Mixed Upland Deciduous
421 - Planted Pines
422 - Natural Pines
430 - Upland Mixed Forest
500 - Water
611 - Lowland Deciduous Forest
613 - Lowland Mixed Forest
122 - Road/Parking Lot
310 - Herbaceous Openland
330 - Low Density Trees
622 - Lowland Shrub
623 - Emergent Wetland




Stand Boundary
Map

Compartment: 61010
T27N R13W 19, 28-31, 33
County: Benzie
Unit: Traverse City
Mgmt. Area: Grand Traverse Moraine
YOE: 2028
Acres: 1,965.20 GIS Calculated
Examiner: Melina Hurin
Date Exported: 06/25/2026
Map Phase: Web Post




- Survey Grade Corners
- Designated Hiking Pathway
- Designated Equestrian Trails
- Designated Snowmobile
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- Federal / State - Dirt / Gravel Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Streams
- Lakes and Rivers
- Compartment Boundary
- Stand Outline
- 411 - Northern Hardwood
- 413 - Aspen
- 421 - Planted Pines
- 422 - Natural Pines
- 430 - Upland Mixed Forest
- 500 - Water
- 310 - Herbaceous Openland
- 330 - Low Density Trees
- 623 - Emergent Wetland




Special Conservation Areas
& Site Conditions Map

Compartment: 61010
T27N R13W 19, 28-31, 33
County: Benzie
Unit: Traverse City
Mgmt. Area: Grand Traverse Moraine
YOE: 2028
Acres: 1,965.20 GIS Calculated
Examiner: Melina Hurin
Date Exported: 06/25/2026
Map Phase: Web Post




- Survey Grade Corners
- Designated Hiking Pathway
- Designated Bicycle Trails
- Designated Equestrian Trails
- Designated Ski Trails
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- Federal / State - Dirt / Gravel Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Streams
- Lakes and Rivers
- Compartment Boundary
- Stand Boundaries
- SCA
- Cold Water Streams
- High Priority Trout Stream Buffer
- Vernal Pool




Special Conservation Areas
& Site Conditions Map

Compartment: 61010
T27N R13W 19, 28-31, 33
County: Benzie
Unit: Traverse City
Mgmt. Area: Grand Traverse Moraine
YOE: 2028
Acres: 1,965.20 GIS Calculated
Examiner: Melina Hurin
Date Exported: 06/25/2026
Map Phase: Web Post



- Survey Grade Corners
- Designated Hiking Pathway
- Designated Equestrian Trails
- Designated Snowmobile
- DNR - Secondary Forest Road
- DNR - Forest Access Route
- Federal / State / County - Paved Road
- Federal / State - Dirt / Gravel Road
- County - Gravel Road
- County - Dirt Road (Seasonal)
- Private - Dirt / Gravel Road
- Streams
- Lakes and Rivers
- Compartment Boundary
- Stand Boundaries
- SCA
- Cold Water Streams
- High Priority Trout Stream Buffer
- Vernal Pool
- Other Habitat Area



Report 1 – Total Acres by Cover Type and Age Class



Age Class

	NonForest	0-9	10-19	20-29	30-39	40-49	50-59	60-69	70-79	80-89	90-99	100-109	110-119	120-129	130-139	140-149	150+	Uneven-Aged	Total
Aspen	0	204	90	47	77	6	179	25	0	2	4	0	0	0	0	0	0	24	658
Bog	5	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4
Herbaceous Openland	44	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	44
Low-Density Trees	73	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	73
Lowland Deciduous	0	0	0	0	0	0	0	0	0	0	0	0	6	0	0	0	7	0	13
Lowland Mixed Forest	0	0	0	0	0	0	0	0	0	0	0	0	13	0	0	0	0	0	13
Marsh	16	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	16
Mixed Upland Deciduous	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7	7
Northern Hardwood	0	2	0	0	0	0	12	0	0	0	71	206	403	7	0	0	0	114	815
Planted Mixed Pines	0	0	7	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	7
Red Pine	0	43	8	0	58	0	0	0	55	0	0	0	0	0	0	0	0	0	164
Upland Mixed Forest	0	0	0	0	0	0	0	0	4	0	1	3	0	0	0	0	0	17	25
Urban	2	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	2
Water	27	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	27
White Pine	0	0	0	0	0	0	2	80	0	3	0	0	0	0	0	0	0	12	97
Total	167	249	105	47	135	6	193	105	59	5	76	209	422	7	0	0	7	174	1965



Report 2 – Treatment Summary

Traverse City Mgt. Unit
Year of Entry: 2028

Acres of Harvest

Compartment 10
Total Compartment Acres: 1,965

Commercial Harvest - 649
Harvests with Site Condition - 0
Next Step Harvest - 0
Habitat Cut - 0

Cover Type by Harvest Method

	Clearcut	Selection	Patch Clearcut	Seed Tree	Shelterwood	Thinning	Overshoot Removal	Salvage	Other	Total Acres
Aspen	159	0	0	0	0	0	0	0	0	159
Northern Hardwood	0	90	0	0	0	0	0	0	0	90
Red Pine	0	0	0	0	0	58	0	0	0	58
Upland Mixed Forest	0	0	0	1	0	0	0	0	0	1
White Pine	0	0	0	10	0	69	0	0	0	79
Total	159	90	0	12	0	127	0	0	0	388

Proposed and Next Step Treatments by Method

	Harvest	Site Prep	Planting	Seeding	Burning	Pesticide	Monitoring	Other	Non-Forest Mgt.	Total Acres
Current	388	0	0	0	0	0	0	0	0	498
Next Step	0	0	0	0	0	0	260	0	2	263
Total	388	0	0	0	0	0	260	0	2	761



S t a n d	Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
-----------------------	-------------------	-------	--------------------	-----------------	--------------	-------------	-------------------	---------------------	-------------------------	------------------	----------------

Proposed Treatments:

10	61010010-Opening	1.8	3301 - Low Density Deciduous Trees	99			Openings Mgmt.	Openings Mgmt.	3301 - Low Density Deciduous Trees	Previous Inventory	No
-----------	-------------------------	-----	---------------------------------------	----	--	--	----------------	----------------	--	-----------------------	----

Prescription -BD 2026: Maintain woody encroachment. Leave some mast producing species uncut.

Specs:

Next Step

Treatments:

Acceptable

Regen:

Other If there is a nearby timber harvest, include edge timber to cut.

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

11	61010011-Cut	24.8	4110 - Sugar Maple Association	6	94	111- 140	Harvest	Selection	411 - Northern Hardwood	Current	No
-----------	---------------------	------	-----------------------------------	---	----	-------------	---------	-----------	----------------------------	---------	----

Prescription Thin to 70-80 BA. Remove suppressed and poor quality trees to improve spacing for crop trees. Mark to removing some of the poor quality cherry and multi-stemmed red maple.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable sugar maple, with some black cherry and red maple.

Regen:

Other

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

12	61010012-Cut	5.8	4130 - Aspen	6	48	Unspec ified	Harvest	Clearcut	413 - Aspen	Planting Record	No
-----------	---------------------	-----	--------------	---	----	-----------------	---------	----------	-------------	--------------------	----

Prescription Cut all trees 2 in DBH or greater. Mark to leave about 1 log sized sugar maple per acre, and added damage timber spec to protect sugar maple sapling patches as best as possible.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Aspen with some sugar maple, red maple, cherry

Regen:

Other Add drumming log spec.

Comment:

Site Condition:

Proposed Start Date: 10/01/2027



Standard

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

18 61010018-Cut	28.9	4130 - Aspen	6	52	141-170	Harvest	Clearcut	413 - Aspen	Planting Record	No
-----------------	------	--------------	---	----	---------	---------	----------	-------------	-----------------	----

Prescription Cut all trees 2 in DBH and greater, but mark a couple retention islands to leave, focusing them around patches of good seed producing sugar maple. Mark to leave 10 BA of white pine scattered throughout the stand.

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable aspen with some mixed hardwoods

Regen:

Other Add drumming log spec.

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

24 61010024-Cut	69.0	42101 - Planted White Pine, Mixed Deciduous	8	62	141-170	Harvest	Thinning	4210 - Planted White Pine	Planting Record	No
-----------------	------	---	---	----	---------	---------	----------	---------------------------	-----------------	----

Prescription Thin to 120 BA. Focus on cutting suppressed and deformed trees first, thinning from below, then mark to improve spacing.

Specs:

Next Step

Treatments:

Acceptable

Regen:

Other

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

24 61010024-Cutx	10.4	42101 - Planted White Pine, Mixed Deciduous	8	62	141-170	Harvest	Seed Tree	413 - Aspen	Planting Record	No
------------------	------	---	---	----	---------	---------	-----------	-------------	-----------------	----

Prescription Mark to leave 10-20 BA of white pine (preferably without weevil damage), and cut all other trees 1 inch DBH and greater.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable aspen with some white pine

Regen:

Other The goal is to regenerate as aspen while the other 2 neighboring aspen stands are being cut, but to still keep a component of the original stand in it.

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
26 61010026-Opening	1.0	3103 - Rubus-Fern	99			Openings Mgmt.	Openings Mgmt.	31021 - Cool Season Grass	Previous Inventory	No
<u>Prescription</u> Plant cool season grasses/shrubs. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
34 61010034-Opening	4.6	3103 - Rubus-Fern	99			Openings Mgmt.	Openings Mgmt.	310 - Herbaceous Openland	Previous Inventory	No
<u>Prescription</u> Brush treatment/ hand fell to maintain woody encroachment. Plant fruiting trees and shrubs. (BD) <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
38 61010038-Opening	1.1	3301 - Low Density Deciduous Trees	99			Openings Mgmt.	Openings Mgmt.	31021 - Cool Season Grass	Previous Inventory	No
<u>Prescription</u> This opening is dominated by bracken. Mechanically treat bracken, plant to annual rye for several years and then convert to an appropriate perennial pasture mix (i.e. clover/alfalfa) or native mix if soils will allow. Consider planting to RGS clover mix. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Periodic maintenance such as mowing, fertilization, reseeding, burning, and/or removal of woody encroachment. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
40 61010040-Cut	16.3	42110 - Planted Red Pine	6	39	201+	Harvest	Thinning	4211 - Planted Red Pine	Planting Record	No
<u>Prescription</u> Cut every 3rd row of plantation. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										



Standard

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
42 61010042-Opening	33.2	3301 - Low Density Deciduous Trees	99			Openings Mgmt.	Openings Mgmt.	3105 - Mixed Upland Herbaceous	Previous Inventory	No
<u>Prescription</u> Possible site to put gate at main entrance road. Maintain hardwood islands for wildlife cover. Chainsaw work and brush cutting to maintain <u>Specs:</u> woody encroachment. Plant rye plot first, then advance to turkey mix. Fecon/ mulching maintenance southern strip of <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Avoid logging equipment crossing through the stand. Use stand line between 42 and 48. This is to limit to spread of invasives such as <u>Comment:</u> knapweed, leafy spurge or autumn olive nearby this site, along with other invasives. <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
43 61010043-Opening	2.0	3103 - Rubus-Fern	99			Openings Mgmt.	Openings Mgmt.	31021 - Cool Season Grass	Previous Inventory	No
<u>Prescription</u> This opening is dominated by bracken. Mechanically treat bracken, plant to annual rye for several years and then convert to an appropriate <u>Specs:</u> perennial pasture mix (i.e. clover/alfalfa) or native mix if soils will allow. Consider planting to RGS clover mix. <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Periodic maintenance such as mowing, fertilization, reseeding, burning, and/or removal of woody encroachment. Leave southern edge of aspen <u>Comment:</u> as is encroachment to mitigate ORV disturbance in opening. <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
45 61010045-Cut	27.1	4139 - Aspen, Mixed Deciduous	9	52	81-110	Harvest	Clearcut	413 - Aspen	Planting Record	No
<u>Prescription</u> Cut all trees 2 inch DBH and greater. Leave 1-3 retention islands. Green mark about 7-14 good sugar maple crop trees. Add in damage <u>Specs:</u> timber spec to protect sugar maple sapling patches as best as possible, and/or try to include patches within retention isla <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> aspen with some sugar maple and red maple <u>Regen:</u> <u>Other</u> Add in drumming log spec. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
46 61010046-Cut	17.1	4130 - Aspen	6	52	111-140	Harvest	Clearcut	413 - Aspen	Planting Record	No
<u>Prescription</u> Cut all trees 2 inch DBH and larger, leaving a couple retention pockets. <u>Specs:</u> <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> aspen, with some red maple and cherry <u>Regen:</u> <u>Other</u> Include drumming log spec. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										



Standard

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

47	61010047-Opening	1.2	3103 - Rubus-Fern	99			Openings Mgmt.	Openings Mgmt.	3102 - Grass	Previous Inventory	No
----	------------------	-----	-------------------	----	--	--	----------------	----------------	--------------	--------------------	----

Prescription mechanically treat bracken fern and encroaching aspen saplings

Specs:

Next Step NonForestMgt, Herbaceous/Crop/Grass Planting (inactive); NonForestMgt, Mowing

Treatments:

Acceptable Manage for grassy opening, with a few scattered trees/shrubs.

Regen:

Other Percent to Treat = 100%

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

49	61010049-Cut	20.2	42110 - Planted Red Pine	6	39	201+	Harvest	Thinning	4211 - Planted Red Pine	Planting Record	No
----	--------------	------	--------------------------	---	----	------	---------	----------	-------------------------	-----------------	----

Prescription Cut every 3rd row of plantation.

Specs:

Next Step

Treatments:

Acceptable

Regen:

Other

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

51	61010051-Opening	29.1	310 - Herbaceous Openland	99			Openings Mgmt.	Openings Mgmt.	330 - Low-Density Trees	Previous Inventory	No
----	------------------	------	---------------------------	----	--	--	----------------	----------------	-------------------------	--------------------	----

Prescription Plant fruiting shrubs/trees. Remove woody encroachment with hand cutting methods. Keep scattered tree islands for wildlife cover. If able, plant native herbaceous cover.

Specs:

Next Step

Treatments:

Acceptable

Regen:

Other Trespass along east private line. ORV trails

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

55	61010055-Opening	2.3	3103 - Rubus-Fern	99			Openings Mgmt.	Openings Mgmt.	31021 - Cool Season Grass	Previous Inventory	No
----	------------------	-----	-------------------	----	--	--	----------------	----------------	---------------------------	--------------------	----

Prescription This opening is dominated by bracken. Mechanically treat bracken, selectively remove woody encroachment to facilitate planting to annual rye for several years and then convert to an appropriate perennial pasture mix (i.e. clover/alfalfa) or native mix if

Specs:

Next Step

Treatments:

Acceptable

Regen:

Other Periodic maintenance such as mowing, fertilization, reseeding, and/or removal of woody encroachment.

Comment:

Site Condition:

Proposed Start Date: 10/01/2027



Standard

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

58	61010058-Opening	2.8	3301 - Low Density Deciduous Trees	99			Openings Mgmt.	Openings Mgmt.	31021 - Cool Season Grass	Previous Inventory	No
<u>Prescription</u> This opening is dominated by bracken. Mechanically treat bracken, selectively remove woody encroachment to facilitate planting to annual rye for several years and then convert to an appropriate perennial pasture mix (i.e. clover/alfalfa) or native mix if <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Periodic maintenance such as mowing, fertilization, reseeding, and/or removal of woody encroachment. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027											
60	61010060-Cut	1.2	4319 - Mixed Upland Forest	7	91	51-80	Harvest	Seed Tree	330 - Low-Density Trees	Previous Inventory	No
<u>Prescription</u> Cut all trees 1 inch DBH and larger. Mark to leave 5-8 log sized DBH white pine. Cutting to return back to small wildlife opening and potential timber sale landing area. Focused marked white pine along north boundary to limit aspen encroachment. <u>Specs:</u> <u>Next Step</u> Openings Mgmt., Brush Mgmt. <u>Treatments:</u> <u>Acceptable</u> No regeneration. Cutting to maintain small wildlife opening. <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027											
61	61010061-Cut	7.7	4112 - Maple, Beech, Cherry Association	9	106	111-140	Harvest	Selection	411 - Northern Hardwood	Current	No
<u>Prescription</u> Mark to cut with a residual of 70-80 BA. Focus on marking suppressed and poor quality trees, to create spacing for good sugar maple seed trees and good quality sugar maple poles. Cut all aspen. <u>Specs:</u> <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> sugar maple, red maple, basswood <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027											
62	61010062-Cut	21.7	42110 - Planted Red Pine	6	39	171-200	Harvest	Thinning	4211 - Planted Red Pine	Planting Record	No
<u>Prescription</u> Cut every 3rd row of plantation. <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027											

S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
63 61010063-Cut	24.8	4131 - Aspen, Oak	6	60	81-110	Harvest	Clearcut	413 - Aspen	Planting Record	No
<u>Prescription</u> Cut all trees 2 inch DBH or greater. Leave a retention pocket or 2, being sure to retain some of the red oak component within the retention <u>Specs:</u> pockets. Mark to leave 5 -10 XLog white pine. <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> aspen, oak, with some hardwoods <u>Regen:</u> <u>Other</u> Include drumming log spec. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
65 61010065-Opening	12.4	3301 - Low Density Deciduous Trees	99			Openings Mgmt.	Openings Mgmt.	320 - Upland Shrub	Previous Inventory	No
<u>Prescription</u> Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover (outside edge most preferred due to ORV <u>Specs:</u> destruction). Fertilize plantings and protect with wire cages or tubex. Lots of ORV traffic/parking, try to minimize inva <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Maintain as needed with mowing, seeding of native grasses and forbs, fertilizing, or removal of woody encroachment. Good opening, but with <u>Comment:</u> ORV traffic, be aware of damage that could occur. Open ground due to ORV damage may be a good bare dirt contact spot <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
61 61010066-Cut	35.1	4112 - Maple, Beech, Cherry Association	9	106	111-140	Harvest	Selection	411 - Northern Hardwood	Current	No
<u>Prescription</u> Mark to cut with a residual of 70-80 BA. Focus on marking suppressed and poor quality trees, to create spacing for good sugar maple seed <u>Specs:</u> trees and good quality sugar maple poles. Cut all aspen. <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> sugar maple, red maple, basswood <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
69 61010069-Opening	5.8	3303 - Mixed Low Density Trees	99			Openings Mgmt.	Openings Mgmt.	320 - Upland Shrub	Previous Inventory	No
<u>Prescription</u> Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. Protect shrubs due to high deer use and easy <u>Specs:</u> ORV access. Good site for small herbaceous planting/native forbes. <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Maintain as needed with mowing, seeding of native grasses and forbs, fertilizing, burning, or removal of woody encroachment.Plant site <u>Comment:</u> appropriate native shrubs and/or mast producing trees for wildlife food and cover. Fertilize plantings and protect wit <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										



S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
76 61010076-Cut	14.2	4119 - Mixed Northern Hardwoods	9	117	111-140	Harvest	Selection	411 - Northern Hardwood	Current	No
<u>Prescription</u> Thin to 70-80 BA. Mark to remove poor formed and suppressed trees and to create spacing for good seed producing trees. Cut all aspen. <u>Specs:</u> <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> mixed hardwoods: sugar maple, basswood, white pine <u>Regen:</u> <u>Other</u> Include rec trail spec. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
85 61010085-Opening	1.8	3103 - Rubus-Fern	99			Openings Mgmt.	Openings Mgmt.	31021 - Cool Season Grass	Previous Inventory	No
<u>Prescription</u> Treat woody encroachment mechanically/ hand felling. Plant mastig shrubs (ORVs cannot access to damage as easily). <u>Specs:</u> <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Maintain as needed with mowing, seeding of native grasses and forbs, fertilizing, burning, or removal of woody encroachment. This opening is <u>Comment:</u> dominated by bracken. Mechanically treat bracken, could selectively remove woody encroachment to facilitate plan <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
99 61010099-Opening	3.9	3303 - Mixed Low Density Trees	99			Openings Mgmt.	Openings Mgmt.	320 - Upland Shrub	Previous Inventory	No
<u>Prescription</u> Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. Fertilize plantings and protect with wire cages or <u>Specs:</u> tubex. <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Maintain as needed with mowing, seeding of native grasses and forbs, fertilizing, or removal of woody encroachment. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
103 61010103-Opening	5.2	3303 - Mixed Low Density Trees	99			Openings Mgmt.	Openings Mgmt.	320 - Upland Shrub	Previous Inventory	No
<u>Prescription</u> Plant site appropriate native shrubs and/or mast producing trees for wildlife food and cover. Fertilize plantings and protect with wire cages or <u>Specs:</u> tubex. <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> Maintain as needed with mowing, seeding of native grasses and forbs, fertilizing, or removal of woody encroachment. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										

S
t
a
n
d

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
108 61010108-Cut	8.2	4139 - Aspen, Mixed Deciduous	9	52	81-110	Harvest	Clearcut	413 - Aspen	Planting Record	No
<u>Prescription</u> Clearcut all trees 2 in DBH and greater. <u>Specs:</u> <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> primarily aspen, with some mixed hardwoods <u>Regen:</u> <u>Other</u> Add drumming log spec. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
109 61010109-Cut	32.6	4130 - Aspen	6	58	111-140	Harvest	Clearcut	413 - Aspen	Planting Record	No
<u>Prescription</u> Clearcut all trees 2 inch DBH and greater, except for red oak. Leave a couple of retention pockets. Mark to leave scattered XLog white pine. <u>Specs:</u> <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> aspen with some hardwoods and white pine <u>Regen:</u> <u>Other</u> Include drumming log spec and rec trail spec. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
110 61010110-Opening	1.2	3303 - Mixed Low Density Trees	99			Openings Mgmt.	Openings Mgmt.	3105 - Mixed Upland Herbaceous	Previous Inventory	No
<u>Prescription</u> MOW AND FERTILIZE EXISTING COOL SEASON GRASSES. HAND FELL SOME WOODY ENCROACHMENT. Leave some mast <u>Specs:</u> producing species uncut. <u>Next Step</u> <u>Treatments:</u> <u>Acceptable</u> <u>Regen:</u> <u>Other</u> <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										
121 61010121-Cut	14.5	4130 - Aspen	6	57	111-140	Harvest	Clearcut	413 - Aspen	Planting Record	No
<u>Prescription</u> Cut all tree 2 inch DBH and greater with a couple retention pockets. Focus retention pockets along the road intersection for aesthetics and/or <u>Specs:</u> pockets of sugar maple regeneration. <u>Next Step</u> Monitoring, Natural Regen (Re-Inventory) <u>Treatments:</u> <u>Acceptable</u> aspen with some sugar maple and red oak. <u>Regen:</u> <u>Other</u> Add drumming log spec and rec trail spec. <u>Comment:</u> <u>Site Condition:</u> <u>Proposed Start Date:</u> 10/01/2027										



Standard

Treatment Name	Acres	Stand CoverType	Size Density	Stand Age	BA Range	Treatment Type	Treatment Method	Cover Type Objective	Age Structure	Habitat Cut
----------------	-------	-----------------	--------------	-----------	----------	----------------	------------------	----------------------	---------------	-------------

122 61010122-Cut	8.6	4119 - Mixed Northern Hardwoods	6	95	111- 140	Harvest	Selection	411 - Northern Hardwood	Current	No
------------------	-----	------------------------------------	---	----	-------------	---------	-----------	----------------------------	---------	----

Prescription Thin to 70-80 BA to improve spacing on large oaks and release maple poles. Focus on removing suppressed and poor formed trees.

Specs:

Next Step Monitoring, Natural Regen (Re-Inventory)

Treatments:

Acceptable Primarily hardwoods (maple and oak) with some white pine and aspen.

Regen:

Other

Comment:

Site Condition:

Proposed Start Date: 10/01/2027

Total Treatment 497.6
Acreage Proposed:



Availability for Management

Total Acres Acres Available Acres With Condition Acres Not Available

Dominant Site Conditions

2B 2F 2G 3A 3B 3J 5E

524	500	0	24	Aspen		2		8		4	10
4	5	0	0	Bog							
44	44	0	0	Herbaceous Openland							
73	73	0	0	Low-Density Trees							
13	0	0	13	Lowland Deciduous			10			3	
13	0	0	13	Lowland Mixed Forest			13				
16	16	0	0	Marsh							
7	7	0	0	Mixed Upland Deciduous							
805	748	22	35	Northern Hardwood	22	20		8	6		
7	7	0	0	Planted Mixed Pines							
164	164	0	0	Red Pine							
26	26	0	0	Upland Mixed Forest							
2	2	0	0	Urban							
27	27	0	0	Water							
96	94	2	0	White Pine	2						
1,821	1,713	24	84	Total Forested Acres	24	23	22	16	6	7	10
	94%	1%	5%	Relative Percent							

*Due to limitations in the current Site Conditions Analysis tool, all nonforested acres are considered available. Future development will enable analysis of nonforested types.

Site No.	Dominant Site Cond	Availability	Dominant Site Condition	Acres	Other Site Condition	Other Site Condition	Other Site Condition	Other Site Condition
1	Unavailable		5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:								
2	Unavailable		3B: Threatened, endangered, and special concern species	8	Unspecified	Unspecified	Unspecified	Unspecified
Comments:								

Report 4 – Site Conditions



3	Available	2B: Unknown if access through adjacent landowner(s) is possible	23	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
4	Unavailable	3J: Water quality/BMPs (stream, river, or lake)	4	5E: Long-Term Retention	Unspecified	Unspecified	Unspecified
Comments: Steep bank immediately adjacent to Eliza Lake. Retain; allow to succeed naturally from aspen to red maple.							
5	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
6	Unavailable	2F: Too steep	2	5E: Long-Term Retention	Unspecified	Unspecified	Unspecified
Comments:							
7	Unavailable	2F: Too steep	6	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
9	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	7	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions



10	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	13	3J: Water quality/BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
Comments:							
11	Unavailable	2G: Too wet (sensitive soils, does not include access issues)	3	Unspecified	Unspecified	Unspecified	Unspecified
Comments: If the soil dries adequately to harvest this stand without significant rutting, and if this occurs simultaneously with entry into prescribed stands in the adjacent compartment, this site condition can be lifted and harvest completed here, likely as a supplement to the contract for the compartment 11 sale.							
13	Unavailable	2F: Too steep	7	3J: Water quality/BMPs (stream, river, or lake)	Unspecified	Unspecified	Unspecified
Comments: Slopes surrounding Eliza Lake.							
14	Unavailable	3J: Water quality/BMPs (stream, river, or lake)	3	2G: Too wet (sensitive soils, does not include access issues)	Unspecified	Unspecified	Unspecified
Comments:							
15	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
17	Unavailable	5E: Long-Term Retention	0	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions



18	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
19	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
20	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
22	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
23	Unavailable	5E: Long-Term Retention	5	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
24	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
25	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							

Report 4 – Site Conditions



26	Unavailable	3A: Conservation values incompatible with harvest at this time	16	Unspecified	Unspecified	Unspecified	Unspecified
Comments: This is part of a multi-compartment SCA, to be managed as core habitat for species requiring mature, interior hardwood forest. Stands will continue to be managed using timber harvest, but with emphasis on habitat rather than timber production.							
27	Unavailable	2F: Too steep	7	5E: Long-Term Retention	Unspecified	Unspecified	Unspecified
Comments: North half of site condition was originally part of Timber Sale 61-060-18 (Eliza Lake Hardwood), but was too steep for loggers to cut. There are still remnants of orange marked trees that were never cut from sale.							
30	Unavailable	5E: Long-Term Retention	2	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
32	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
33	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
34	Unavailable	5E: Long-Term Retention	1	Unspecified	Unspecified	Unspecified	Unspecified
Comments:							
36	Unavailable	5E: Long-Term Retention	1	3G: Other influence zones - See comments	Unspecified	Unspecified	Unspecified
Comments: wetland buffer							

Mgt. Unit

Compartment: #Type!

Year of Entry:



Report 5 – PROPOSED SPECIAL CONSERVATION AREA* (SCA) DETAILS

* This is a partial list of SCAs for this compartment. Not included are those areas identified under other Department initiatives (Natural Rivers, Deer Wintering Areas, etc.). Those will be identified in separate, future map and report products.

SCA Name	SCA Category	Detail Type	Recommendation	Acres
----------	--------------	-------------	----------------	-------

Comments



Stand	Level 4 Cover Type	Size	Density	Acres	Stand Age	BA Range	Managed Site	General Comments					
1	6239 - Mixed Emergent Wetland	None	5.5				No	Partly open water, emergent wetland, leatherleaf bog, plus open fringe of grass/fern on upland transition zone, depending on fluctuating water level from year to year. Stand includes a narrow upland opening connecting two basins. Water levels lower than normal so there is exposed mud showing lots of deer signs.					
									Sub-Canopy Species	Density	Avg. Height	Size	
									Leatherleaf	Medium	< 5 feet	< 5 feet	
									Mixed Sedges/Grasses	High	Not Applicable	Not Applicable	
									Waterlillies	Low	Not Applicable	Not Applicable	
2	4130 - Aspen	Poletimber Well	32.6	25	51-80	N/A		Clearcut by previous owner. Bracken fern, wintergreen. Scattered cherry and red maple. saplings. Scattered residual mature white pine, plus some mixed deciduous.					
									Canopy Species	% Cover	Size Class	DBH	Age
									Bigtooth Aspen	85	Pole/Sapling	5	25
									Quaking Aspen	12	Pole/Sapling	5	25
									Red Maple	2	Sapling/Pole	4	25
									White Pine	1	XLog	23	
									Sub-Canopy Species	Density	Avg. Height	Size	
Black Cherry	Low	Variable	Variable										
White Pine	Trace	5 - 10 feet	5 - 10 feet										
Ironwood	Low	5 - 10 feet	5 - 10 feet										
Beech	Trace	5 - 10 feet	5 - 10 feet										
3	4139 - Aspen, Mixed Deciduous	Sawtimber Well	5.0	59	81-110	N/A		Stand is mostly on side slopes. Some juneberry, hawthorn in understory. Patches of sugar maple in the south 1/2 of stand.					
									Canopy Species	% Cover	Size Class	DBH	Age
									Bigtooth Aspen	45	Log/Pole	11	59
									Black Cherry	15	Log	14	
									Sugar Maple	5	Log	12	
									Red Maple	35	Log/Pole	13	
									Sub-Canopy Species	Density	Avg. Height	Size	
Ironwood	Low	Variable	Variable										
Sugar Maple	Medium	Variable	Variable										
Beech	Low	Variable	Variable										
4	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	6.6	110	111-140	N/A		2026 BA: 140, 110, 80, 140, 200. Orange marked for 2018 timber sale, but not cut due to inoperable slope. Fair amount of maple in multi-stemmed. Wp generally in patches. Thinned by previous owner. Wind exposure from across the adjacent clearcut and over the ridge has resulted in some blowdown patches. Trace amounts of elm, ironwood, yellow birch, beech, and overmature bigtooth aspen in the stand.					
									Canopy Species	% Cover	Size Class	DBH	Age
									Sugar Maple	40	Log/Pole/XLog	14	110
									Red Maple	30	Log	16	110
									White Pine	20	XLog/Log	20	
									Black Cherry	10	Log/Pole	15	
									Sub-Canopy Species	Density	Avg. Height	Size	
									Beech	Medium	Variable	Variable	
Sugar Maple	Low	Variable	Variable										
White Pine	Low	Variable	Variable										
Ironwood	Trace	>20 feet	>20 feet										
Ironwood	Medium	>20 feet	>20 feet										
Black Cherry	Trace	10 - 20 feet	10 - 20 feet										
5	42141 - Planted Mixed Pine, Mixed Deciduous	Sapling Poor	7.4	15	1-50	N/A		Clearcut Jan. 2010, replanted 2011. So-so survival of planted red pine: some spots fully stocked, others failed. Stand has 2 inclusions: a hardwood retention island toward the south end, and a small pond in the middle.					
									Canopy Species	% Cover	Size Class	DBH	Age
									Red Maple	10	Log	10	
									Beech	5	Sapling	2	
									White Pine	25	Sapling	2	
									Red Pine	50	Sapling/Pole	3	15



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																							
6	4130 - Aspen	Sapling Well	11.9	16	1-50	N/A	Aspen generally 2-4" DBH. Stand was clearcut in Feb. 2010 (61-006-08) with scattered mature red maple and white pine retained																																																							
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Bigtooth Aspen</td><td>90</td><td>Sapling</td><td>3</td><td>16</td></tr><tr><td>Red Maple</td><td>6</td><td>Sapling</td><td>2</td><td>16</td></tr><tr><td>Red Maple</td><td>2</td><td>Log</td><td>11</td><td></td></tr><tr><td>White Pine</td><td>2</td><td>Log/Pole/XLog</td><td>15</td><td></td></tr></table>			Canopy Species	% Cover	Size Class	DBH	Age	Bigtooth Aspen	90	Sapling	3	16	Red Maple	6	Sapling	2	16	Red Maple	2	Log	11		White Pine	2	Log/Pole/XLog	15		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Cherry (spp.)</td><td>Medium</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Beech</td><td>Medium</td><td>Variable</td><td>Variable</td></tr></table>			Sub-Canopy Species	Density	Avg. Height	Size	Cherry (spp.)	Medium	5 - 10 feet	5 - 10 feet	Ironwood	Medium	Variable	Variable	Beech	Medium	Variable	Variable																
Canopy Species	% Cover	Size Class	DBH	Age																																																										
Bigtooth Aspen	90	Sapling	3	16																																																										
Red Maple	6	Sapling	2	16																																																										
Red Maple	2	Log	11																																																											
White Pine	2	Log/Pole/XLog	15																																																											
Sub-Canopy Species	Density	Avg. Height	Size																																																											
Cherry (spp.)	Medium	5 - 10 feet	5 - 10 feet																																																											
Ironwood	Medium	Variable	Variable																																																											
Beech	Medium	Variable	Variable																																																											
7	4110 - Sugar Maple Association	Sawtimber Medium	8.2	116	81-110	N/A	2026 BA: 40, 140, 130, 120, 50. Most saplings moved into pole size. Cherry more concentrated in N 1/2. Good quality cherry; medium to good quality sugar maple (though some is multi-stemmed). Stand is on a hillside. Thinned by previous owner.																																																							
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>85</td><td>Log/Pole</td><td>12</td><td>116</td></tr><tr><td>Black Cherry</td><td>14</td><td>Log</td><td>15</td><td></td></tr><tr><td>Beech</td><td>1</td><td>Log</td><td>13</td><td></td></tr></table>			Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	85	Log/Pole	12	116	Black Cherry	14	Log	15		Beech	1	Log	13		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Hemlock</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Beech</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Sugar Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr></table>			Sub-Canopy Species	Density	Avg. Height	Size	Hemlock	Trace	>20 feet	>20 feet	Ironwood	Medium	Variable	Variable	Beech	Medium	Variable	Variable	Sugar Maple	Trace	>20 feet	>20 feet																	
Canopy Species	% Cover	Size Class	DBH	Age																																																										
Sugar Maple	85	Log/Pole	12	116																																																										
Black Cherry	14	Log	15																																																											
Beech	1	Log	13																																																											
Sub-Canopy Species	Density	Avg. Height	Size																																																											
Hemlock	Trace	>20 feet	>20 feet																																																											
Ironwood	Medium	Variable	Variable																																																											
Beech	Medium	Variable	Variable																																																											
Sugar Maple	Trace	>20 feet	>20 feet																																																											
8	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	20.8	115	81-110	N/A	Mostly on side slopes. Fair amount of skidder damage from a previous timber harvest. 2026 BA: 110, 120, 70, 80, 40, 90. More concentrated sugar maple in the middle of the stand and red maple to north and south. Thinned heavily by previous owner. opening/landing at south end.																																																							
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>12</td><td>Log/Pole</td><td>12</td><td></td></tr><tr><td>Red Maple</td><td>70</td><td>Log</td><td>14</td><td>115</td></tr><tr><td>Beech</td><td>1</td><td>Log/Pole</td><td>13</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>4</td><td>Log</td><td>12</td><td></td></tr><tr><td>White Pine</td><td>3</td><td>XLog</td><td>22</td><td></td></tr><tr><td>Black Cherry</td><td>10</td><td>Log/Pole</td><td>13</td><td></td></tr></table>			Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	12	Log/Pole	12		Red Maple	70	Log	14	115	Beech	1	Log/Pole	13		Bigtooth Aspen	4	Log	12		White Pine	3	XLog	22		Black Cherry	10	Log/Pole	13		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Sugar Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Sugar Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr></table>			Sub-Canopy Species	Density	Avg. Height	Size	Beech	Medium	Variable	Variable	Sugar Maple	Trace	>20 feet	>20 feet	Ironwood	Medium	Variable	Variable	Sugar Maple	Trace	>20 feet	>20 feet		
Canopy Species	% Cover	Size Class	DBH	Age																																																										
Sugar Maple	12	Log/Pole	12																																																											
Red Maple	70	Log	14	115																																																										
Beech	1	Log/Pole	13																																																											
Bigtooth Aspen	4	Log	12																																																											
White Pine	3	XLog	22																																																											
Black Cherry	10	Log/Pole	13																																																											
Sub-Canopy Species	Density	Avg. Height	Size																																																											
Beech	Medium	Variable	Variable																																																											
Sugar Maple	Trace	>20 feet	>20 feet																																																											
Ironwood	Medium	Variable	Variable																																																											
Sugar Maple	Trace	>20 feet	>20 feet																																																											
9	42210 - Natural Red Pine	Sapling Poor	8.0	15	1-50	N/A	Clearcut Jan. 2010, replanted 2011. Some failed patches of red pine seedlings, but mostly decent stocking.																																																							
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Beech</td><td>20</td><td>Log</td><td>10</td><td></td></tr><tr><td>Red Pine</td><td>75</td><td>Sapling/Pole</td><td>3</td><td>15</td></tr><tr><td>Black Cherry</td><td>5</td><td>Log/Pole</td><td>11</td><td></td></tr></table>			Canopy Species	% Cover	Size Class	DBH	Age	Beech	20	Log	10		Red Pine	75	Sapling/Pole	3	15	Black Cherry	5	Log/Pole	11		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Blackberry/Raspberry</td><td>Low</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Bracken Fern</td><td>Full</td><td>Not Applicable</td><td>Not Applicable</td></tr></table>			Sub-Canopy Species	Density	Avg. Height	Size	Blackberry/Raspberry	Low	< 5 feet	< 5 feet	Bracken Fern	Full	Not Applicable	Not Applicable																									
Canopy Species	% Cover	Size Class	DBH	Age																																																										
Beech	20	Log	10																																																											
Red Pine	75	Sapling/Pole	3	15																																																										
Black Cherry	5	Log/Pole	11																																																											
Sub-Canopy Species	Density	Avg. Height	Size																																																											
Blackberry/Raspberry	Low	< 5 feet	< 5 feet																																																											
Bracken Fern	Full	Not Applicable	Not Applicable																																																											
10	3301 - Low Density Deciduous Trees	None	1.8			No	2026 comments: Ground cover remains same. White pine saplings are beginning to fill in but offer good cover. No aspen encroachment, but if adjacent aspen is harvested, buffer will be useful. (Baylee).Ground cover info is from 2006 inventory. [2006 comments: Milkweed, lycopodium, strawberry, grass spp. Nice remote forest opening. Frost pocket.]																																																							
			<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Red Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Cladonia (Reindeer moss)</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Blackberry/Raspberry</td><td>Medium</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Bracken Fern</td><td>High</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Poverty Grass</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Beech</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>Black Cherry</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>St. Johns Wort</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Sugar Maple</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Low</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr></table>			Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Low	>20 feet	>20 feet	Cladonia (Reindeer moss)	Trace	Not Applicable	Not Applicable	Blackberry/Raspberry	Medium	5 - 10 feet	5 - 10 feet	Bracken Fern	High	Not Applicable	Not Applicable	Poverty Grass	Medium	Not Applicable	Not Applicable	Beech	Trace	Variable	Variable	Black Cherry	Low	>20 feet	>20 feet	St. Johns Wort	Trace	Not Applicable	Not Applicable	Sugar Maple	Trace	Variable	Variable	White Pine	Low	10 - 20 feet	10 - 20 feet													
Sub-Canopy Species	Density	Avg. Height	Size																																																											
Red Maple	Low	>20 feet	>20 feet																																																											
Cladonia (Reindeer moss)	Trace	Not Applicable	Not Applicable																																																											
Blackberry/Raspberry	Medium	5 - 10 feet	5 - 10 feet																																																											
Bracken Fern	High	Not Applicable	Not Applicable																																																											
Poverty Grass	Medium	Not Applicable	Not Applicable																																																											
Beech	Trace	Variable	Variable																																																											
Black Cherry	Low	>20 feet	>20 feet																																																											
St. Johns Wort	Trace	Not Applicable	Not Applicable																																																											
Sugar Maple	Trace	Variable	Variable																																																											
White Pine	Low	10 - 20 feet	10 - 20 feet																																																											



MICHIGAN

Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																	
11	4110 - Sugar Maple Association	Poletimber Well	24.8	94	111-140	N/A	2026 BAs: 120, 80, 100, 140, 130, 90, 180 (variable BA). 2 age classes of SM (pole and large log). Numerous multi-stemmed sugar maple. Blue paint in the like pvt line but no indication of what is was from.																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>67</td><td>Pole/Log</td><td>9</td><td>94</td></tr><tr><td>Red Maple</td><td>15</td><td>Log/Pole/XLog</td><td>15</td><td></td></tr><tr><td>Beech</td><td>2</td><td>Log/XLog/Pole</td><td>15</td><td></td></tr><tr><td>Black Cherry</td><td>15</td><td>Log/Pole</td><td>13</td><td></td></tr><tr><td>White Pine</td><td>1</td><td>Log</td><td>15</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	67	Pole/Log	9	94	Red Maple	15	Log/Pole/XLog	15		Beech	2	Log/XLog/Pole	15		Black Cherry	15	Log/Pole	13		White Pine	1	Log	15		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Beech</td><td>Low</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Ironwood</td><td>Low</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Low	>20 feet	>20 feet	Beech	Low	10 - 20 feet	10 - 20 feet	Ironwood	Low	Variable	Variable							
Canopy Species	% Cover	Size Class	DBH	Age																																																				
Sugar Maple	67	Pole/Log	9	94																																																				
Red Maple	15	Log/Pole/XLog	15																																																					
Beech	2	Log/XLog/Pole	15																																																					
Black Cherry	15	Log/Pole	13																																																					
White Pine	1	Log	15																																																					
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Sugar Maple	Low	>20 feet	>20 feet																																																					
Beech	Low	10 - 20 feet	10 - 20 feet																																																					
Ironwood	Low	Variable	Variable																																																					
12	4130 - Aspen	Poletimber Well	5.8	48	Unspecified	N/A	Some dead ash. Some of stand on slight slope. Parts of sub-canopy SM >20ft & closer to pole sized, and some 10-15ft saplings.																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>10</td><td>Log/Pole</td><td>13</td><td></td></tr><tr><td>Red Maple</td><td>4</td><td>Pole</td><td>8</td><td></td></tr><tr><td>Beech</td><td>2</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>82</td><td>Pole/Log</td><td>9</td><td>48</td></tr><tr><td>Black Cherry</td><td>2</td><td>Pole</td><td>8</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	10	Log/Pole	13		Red Maple	4	Pole	8		Beech	2	Log/Pole	10		Bigtooth Aspen	82	Pole/Log	9	48	Black Cherry	2	Pole	8		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Ironwood</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Sugar Maple</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Beech</td><td>Low</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Trace	Variable	Variable	White Pine	Low	>20 feet	>20 feet	Sugar Maple	Medium	Variable	Variable	Beech	Low	Variable	Variable			
Canopy Species	% Cover	Size Class	DBH	Age																																																				
Sugar Maple	10	Log/Pole	13																																																					
Red Maple	4	Pole	8																																																					
Beech	2	Log/Pole	10																																																					
Bigtooth Aspen	82	Pole/Log	9	48																																																				
Black Cherry	2	Pole	8																																																					
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Ironwood	Trace	Variable	Variable																																																					
White Pine	Low	>20 feet	>20 feet																																																					
Sugar Maple	Medium	Variable	Variable																																																					
Beech	Low	Variable	Variable																																																					
13	42111 - Planted Red Pine, Mixed Deciduous	Sawtimber Medium	8.9	71	111-140	N/A	Planted: 19553rd row thin: 19982nd thin: August 2019. Wp more concentrated along perimeters. There were a few aspen pockets that may result in aspen regen pockets.																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>10</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>2</td><td>Log/Pole</td><td>11</td><td>62</td></tr><tr><td>White Pine</td><td>15</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Red Pine</td><td>65</td><td>Log/Pole</td><td>11</td><td>71</td></tr><tr><td>Black Cherry</td><td>5</td><td>Log/Pole</td><td>11</td><td></td></tr><tr><td>Sugar Maple</td><td>3</td><td>Log/Pole</td><td>10</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	10	Log/Pole	10		Bigtooth Aspen	2	Log/Pole	11	62	White Pine	15	Log/Pole	10		Red Pine	65	Log/Pole	11	71	Black Cherry	5	Log/Pole	11		Sugar Maple	3	Log/Pole	10		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Low</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Medium	Variable	Variable	White Pine	Low	Variable	Variable						
Canopy Species	% Cover	Size Class	DBH	Age																																																				
Red Maple	10	Log/Pole	10																																																					
Bigtooth Aspen	2	Log/Pole	11	62																																																				
White Pine	15	Log/Pole	10																																																					
Red Pine	65	Log/Pole	11	71																																																				
Black Cherry	5	Log/Pole	11																																																					
Sugar Maple	3	Log/Pole	10																																																					
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Beech	Medium	Variable	Variable																																																					
White Pine	Low	Variable	Variable																																																					
14	42110 - Planted Red Pine	Sawtimber Medium	5.6	71	111-140	N/A	Planted: 1955Thinned: August 2019: Aspen removed and post BA about 100Sporadic rows. Poor quality BC. Slightly higher BA for N black because there is more hardwoods and WP mixed in.																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>5</td><td>Log/Pole</td><td>11</td><td></td></tr><tr><td>White Pine</td><td>6</td><td>Log/Pole</td><td>15</td><td></td></tr><tr><td>Red Pine</td><td>84</td><td>Log/Pole</td><td>11</td><td>71</td></tr><tr><td>Black Cherry</td><td>5</td><td>Log/Pole</td><td>10</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	5	Log/Pole	11		White Pine	6	Log/Pole	15		Red Pine	84	Log/Pole	11	71	Black Cherry	5	Log/Pole	10		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>High</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	High	Variable	Variable																				
Canopy Species	% Cover	Size Class	DBH	Age																																																				
Red Maple	5	Log/Pole	11																																																					
White Pine	6	Log/Pole	15																																																					
Red Pine	84	Log/Pole	11	71																																																				
Black Cherry	5	Log/Pole	10																																																					
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Beech	High	Variable	Variable																																																					
15	3103 - Rubus-Fern	None	1.2			No	2026 comments: valley/ frost pocket, natural opening. Filling in, but valuable for travel and browsing. Strawberry, grass spp., lycopodium, milkweed, autumn olive, thistle spp., sweet everlasting present. (BD)[2006 comments: Rice cut grass, red maple seedlings, moss, lycopodium. Frost pocket/valley. Slash blocking old skidder trail.]																																																	
				<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Black Cherry</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>Pines (spp.)</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Sugar Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>White Pine</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Bracken Fern</td><td>High</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Blackberry/Raspberry</td><td>Medium</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry	Trace	Variable	Variable	Pines (spp.)	Trace	5 - 10 feet	5 - 10 feet	Sugar Maple	Trace	>20 feet	>20 feet	White Pine	Low	>20 feet	>20 feet	Bracken Fern	High	Not Applicable	Not Applicable	Blackberry/Raspberry	Medium	5 - 10 feet	5 - 10 feet																							
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Black Cherry	Trace	Variable	Variable																																																					
Pines (spp.)	Trace	5 - 10 feet	5 - 10 feet																																																					
Sugar Maple	Trace	>20 feet	>20 feet																																																					
White Pine	Low	>20 feet	>20 feet																																																					
Bracken Fern	High	Not Applicable	Not Applicable																																																					
Blackberry/Raspberry	Medium	5 - 10 feet	5 - 10 feet																																																					



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments			
16	4112 - Maple, Beech, Cherry Association	Poletimber Medium	15.3	107	51-80	N/A	Selection harvested in August 2019 (61-059-18); most of the beech and aspen were cut. Red pine pocket (part of stand 22) is in the middle of stand. Very nice black cherry. Some new SM poles that graduated from sapling size.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Sugar Maple		65	Pole/Log	8	107	Beech		Medium	Variable	Variable
Red Maple		20	Log/Pole	13		Ironwood		Low	Variable	Variable
Beech		1	Log/XLog/Pole	15		Sugar Maple		Low	Variable	Variable
Black Cherry		10	Log	12		White Pine		Trace	Variable	Variable
Red Pine		3	Log/Pole	10	71	Sugar Maple		Low	>20 feet	>20 feet
White Pine		1	Log/Pole	10						
17	4112 - Maple, Beech, Cherry Association	Sawtimber Well	17.7	98	141-170	N/A	Numerous multi-stemmed trees. 2026 BA: 150, 100, 150, 120, 150, 180, 140. Some planted RP within hardwood stand, edges of adjacent plantations transitioning into hardwoods. Rolling terrain. Large tick nest, likely goshawk. Beech sap/pole are heavy with beech scale. Large wooden tree stand.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Sugar Maple		3	Pole/Log	8		Sugar Maple		Low	>20 feet	>20 feet
Red Maple		84	Log/Pole	10	98	Beech		Medium	Variable	Variable
Bigtooth Aspen		5	Log/Pole	10						
Red Pine		3	Log/Pole	10	71					
Black Cherry		4	Log	10						
Beech		1	Pole/Log	8						
18	4130 - Aspen	Poletimber Well	28.9	52	141-170	N/A	Sugar maple regeneration is thick in places. Somewhat heterogenous in distribution/size of hardwoods, but overall a pole aspen stand. Some scattered larger hardwoods, plus along west edge. Mature WP patches from previous plantation.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Sugar Maple		10	Log/Pole	11		Beech		Trace	< 5 feet	< 5 feet
Red Maple		6	Pole/Log	9		Sugar Maple		Low	Variable	Variable
Quaking Aspen		5	Pole	9	52	White Pine		Low	>20 feet	>20 feet
Bigtooth Aspen		70	Log/Pole	10	52	White Pine		Trace	< 5 feet	< 5 feet
Black Cherry		3	Pole	8						
White Pine		6	Log/Pole	11						
19	4130 - Aspen	Sapling Well	7.6	17	Unspecified	N/A	Stand clearcut in summer 2009 (61-081-0801). Marked residual hardwood patches with some WP. Aspen on S 1/3 at 2" DBH slightly smaller than rest of stand.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Bigtooth Aspen		80	Sapling	4	17	Black Cherry		Medium	5 - 10 feet	5 - 10 feet
White Pine		3	Pole/Log	8	62					
Black Cherry		12	Sapling	3	17					
Red Maple		2	Log/Pole	10						
Black Cherry		3	Log	10						



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments		
20	4130 - Aspen	Poletimber Well	44.6	36	51-80	N/A	Some open areas, especially in valley bottoms and around old landing. Scattered junberry. Mostly black cherry, but some pin cherry in patches, with most being concentrated around small openings. BC has black tar on its branches. Nicer aspen concentrated in west part of stand.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Bigtooth Aspen	55	Pole	7	36	White Pine	Trace		Variable	Variable
Quaking Aspen	24	Pole/Sapling	5	36	Ironwood	High		Variable	Variable
Black Cherry	16	Pole	7	36	Cherry (spp.)	Medium		Variable	Variable
Sugar Maple	2	Pole/Sapling	6						
Red Maple	1	Pole/Sapling	6						
Ironwood	1	Sapling	3						
Red Oak	1	Pole	5						
21	4130 - Aspen	Sapling Well	16.8	6	1-50	N/A	The north portion was clearcut in summer 2019 (61-059-18) and the south portion cut in fall 2020 (61-060-18) with scattered residual red maple, red pine, sugar maple, white pine and cherry; residual BA about 20.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	1	Pole	7		Beech	Low		5 - 10 feet	5 - 10 feet
Red Maple	3	Log	12		Cherry (spp.)	Medium		Variable	Variable
Bigtooth Aspen	92	Sapling	1	6	Ironwood	Low		< 5 feet	< 5 feet
White Pine	1	Pole	8						
Red Pine	2	Log	12						
Black Cherry	1	Log/Pole	10						
22	42110 - Planted Red Pine	Sawtimber Medium	25.3	71	111-140	N/A	2nd thinned in August 2019 (61-059-18), except a few acres in the south end reserved because of raptor nesting. Trace of elm. Hardwoods mostly in SW part of stand.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Red Maple	2	Log/Pole	12		Beech	Medium		Variable	Variable
Red Pine	90	Log/Pole	11	71	Ironwood	Low		< 5 feet	< 5 feet
Black Cherry	5	Log/Pole	15						
Sugar Maple	2	Log/Pole	10						
White Pine	1	Log/Pole	10						
23	42110 - Planted Red Pine	Sawtimber Well	15.2	71	111-140	N/A	Planted: 19553rd row thin: 1999 Thinned: 2009Small amount of mortality in RP: bark beetle, porcupine damage. Very trace of quaking aspen in canopy. Curvy rows.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	6	Log/Pole	11		Ironwood	Low		Variable	Variable
Red Maple	2	Pole/Sap/Log	8		Sugar Maple	Low		Variable	Variable
Red Pine	90	Log/Pole	12	71	Beech	High		Variable	Variable
Black Cherry	2	Log/Pole	12						



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																						
24	42101 - Planted White Pine, Mixed Deciduous	Sawtimber Medium	79.5	62	141-170	N/A	Planted: 19643rd row thinned: summer 2012 2026 mean BA: 140 hardwood inclusions and 170 in WP. Some curving rows, hillsides make thinning difficult in places. High percentage of weevil damaged trees. Few inclusions of hardwoods and aspen. Hardwood pockets have larger amounts of small pole sized RM. 27" DBH BTA.																																																						
		<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>2</td><td>Log</td><td>14</td><td></td></tr><tr><td>Red Maple</td><td>12</td><td>Pole/Log</td><td>9</td><td></td></tr><tr><td>Quaking Aspen</td><td>2</td><td>Pole</td><td>9</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>4</td><td>Pole</td><td>8</td><td></td></tr><tr><td>White Pine</td><td>60</td><td>Log/Pole</td><td>11</td><td>62</td></tr></table>	Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	2	Log	14		Red Maple	12	Pole/Log	9		Quaking Aspen	2	Pole	9		Bigtooth Aspen	4	Pole	8		White Pine	60	Log/Pole	11	62			<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Red Maple</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Beech</td><td>Low</td><td>Variable</td><td>Variable</td></tr></table>	Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Low	Variable	Variable	Beech	Low	Variable	Variable														
Canopy Species	% Cover	Size Class	DBH	Age																																																									
Sugar Maple	2	Log	14																																																										
Red Maple	12	Pole/Log	9																																																										
Quaking Aspen	2	Pole	9																																																										
Bigtooth Aspen	4	Pole	8																																																										
White Pine	60	Log/Pole	11	62																																																									
Sub-Canopy Species	Density	Avg. Height	Size																																																										
Red Maple	Low	Variable	Variable																																																										
Beech	Low	Variable	Variable																																																										
25	4110 - Sugar Maple Association	Sawtimber Well	7.3	128	81-110	N/A	Traces of ironwood, red pine poles in canopy. Thinned in 8/2010 (61-007-0801).																																																						
		<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>75</td><td>Log/Pole</td><td>11</td><td>128</td></tr><tr><td>Red Maple</td><td>10</td><td>Log</td><td>14</td><td></td></tr><tr><td>Beech</td><td>10</td><td>Log/Pole</td><td>13</td><td></td></tr><tr><td>Black Cherry</td><td>5</td><td>Log</td><td>14</td><td>133</td></tr></table>	Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	75	Log/Pole	11	128	Red Maple	10	Log	14		Beech	10	Log/Pole	13		Black Cherry	5	Log	14	133			<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Ironwood</td><td>Low</td><td>Variable</td><td>Variable</td></tr></table>	Sub-Canopy Species	Density	Avg. Height	Size	Beech	Medium	Variable	Variable	Sugar Maple	Low	>20 feet	>20 feet	Ironwood	Low	Variable	Variable															
Canopy Species	% Cover	Size Class	DBH	Age																																																									
Sugar Maple	75	Log/Pole	11	128																																																									
Red Maple	10	Log	14																																																										
Beech	10	Log/Pole	13																																																										
Black Cherry	5	Log	14	133																																																									
Sub-Canopy Species	Density	Avg. Height	Size																																																										
Beech	Medium	Variable	Variable																																																										
Sugar Maple	Low	>20 feet	>20 feet																																																										
Ironwood	Low	Variable	Variable																																																										
26	3103 - Rubus-Fern	None	1.2			No	2026 comments: Frost pocket, road through, ORV activity. Lycopodium (BD)Ground cover info is from 2006 inventory. [2006 comments: Spotted knapweed, hawkweed, sheep sorrel, moss, juniper. Frost pocket. Road through stand.]																																																						
						<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Common Or Ground Juniper</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Poverty Grass</td><td>Low</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Blackberry/Raspberry</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>St. Johns Wort</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Mixed Grasses</td><td>Low</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>White Pine</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>Cladonia (Reindeer moss)</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Bracken Fern</td><td>High</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Red Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Quaking Aspen</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Black Cherry</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr></table>	Sub-Canopy Species	Density	Avg. Height	Size	Common Or Ground Juniper	Trace	5 - 10 feet	5 - 10 feet	Poverty Grass	Low	Not Applicable	Not Applicable	Blackberry/Raspberry	Trace	5 - 10 feet	5 - 10 feet	St. Johns Wort	Trace	Not Applicable	Not Applicable	Mixed Grasses	Low	Not Applicable	Not Applicable	White Pine	Trace	Variable	Variable	Cladonia (Reindeer moss)	Trace	Not Applicable	Not Applicable	Bracken Fern	High	Not Applicable	Not Applicable	Red Maple	Trace	>20 feet	>20 feet	Quaking Aspen	Trace	>20 feet	>20 feet	Black Cherry	Low	>20 feet	>20 feet							
Sub-Canopy Species	Density	Avg. Height	Size																																																										
Common Or Ground Juniper	Trace	5 - 10 feet	5 - 10 feet																																																										
Poverty Grass	Low	Not Applicable	Not Applicable																																																										
Blackberry/Raspberry	Trace	5 - 10 feet	5 - 10 feet																																																										
St. Johns Wort	Trace	Not Applicable	Not Applicable																																																										
Mixed Grasses	Low	Not Applicable	Not Applicable																																																										
White Pine	Trace	Variable	Variable																																																										
Cladonia (Reindeer moss)	Trace	Not Applicable	Not Applicable																																																										
Bracken Fern	High	Not Applicable	Not Applicable																																																										
Red Maple	Trace	>20 feet	>20 feet																																																										
Quaking Aspen	Trace	>20 feet	>20 feet																																																										
Black Cherry	Low	>20 feet	>20 feet																																																										
27	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	19.2	106	81-110	N/A	Select cut fall 2020 most of the beech and aspen were removed. Lots of cherry regen (unsure if black, choke, or pin) .2026 BA: 90, 150, 50, 70. Some blowdown at south end adjacent to young aspen stand. A few scattered hemlock. Beech has scale. Rolling terrain.																																																						
		<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>35</td><td>Pole/Log</td><td>9</td><td></td></tr><tr><td>Red Maple</td><td>50</td><td>Log/Pole</td><td>15</td><td>106</td></tr><tr><td>Beech</td><td>1</td><td>XLog</td><td>26</td><td></td></tr><tr><td>Black Cherry</td><td>14</td><td>Log/Pole</td><td>15</td><td></td></tr></table>	Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	35	Pole/Log	9		Red Maple	50	Log/Pole	15	106	Beech	1	XLog	26		Black Cherry	14	Log/Pole	15				<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Blackberry/Raspberry</td><td>Medium</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Cherry (spp.)</td><td>High</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Ironwood</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Ironwood</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr></table>	Sub-Canopy Species	Density	Avg. Height	Size	Beech	Low	Variable	Variable	Blackberry/Raspberry	Medium	5 - 10 feet	5 - 10 feet	Sugar Maple	Low	>20 feet	>20 feet	Cherry (spp.)	High	< 5 feet	< 5 feet	Ironwood	Low	Variable	Variable	Ironwood	Trace	>20 feet	>20 feet			
Canopy Species	% Cover	Size Class	DBH	Age																																																									
Sugar Maple	35	Pole/Log	9																																																										
Red Maple	50	Log/Pole	15	106																																																									
Beech	1	XLog	26																																																										
Black Cherry	14	Log/Pole	15																																																										
Sub-Canopy Species	Density	Avg. Height	Size																																																										
Beech	Low	Variable	Variable																																																										
Blackberry/Raspberry	Medium	5 - 10 feet	5 - 10 feet																																																										
Sugar Maple	Low	>20 feet	>20 feet																																																										
Cherry (spp.)	High	< 5 feet	< 5 feet																																																										
Ironwood	Low	Variable	Variable																																																										
Ironwood	Trace	>20 feet	>20 feet																																																										



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments		
28	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	16.4	101	51-80	N/A	2026 BA: 90, 60, 100, 70, 40, 70. N/S ridge adjacent to Eliza Lake. Selection harvested in fall 2020; most of the aspen was removed. Large patch of cherry regen at north boundary of stand. Lots of multi-stemmed red maple. Pockets of aspen regenerating.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	30	Log/Pole	11		Sugar Maple	Low		>20 feet	>20 feet
Red Maple	60	Log/Pole	14	101	Beech	Low		Variable	Variable
Black Cherry	10	Log/Pole	13						
29	4110 - Sugar Maple Association	Sawtimber Well	6.4	106	81-110	N/A	2026 BA: 110,90, 110, 70. A few nice sugar maple and black cherry, but generally poor quality timber. Some mortality in aspen and black cherry. Numerous cavity trees.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	50	Log/Pole	13	106	Ironwood	Medium		Variable	Variable
Red Maple	4	Pole	9		Sugar Maple	Low		>20 feet	>20 feet
Beech	2	XLog	18						
Bigtooth Aspen	5	Log/Pole	10						
Black Cherry	35	Log/Pole	12	106					
Ironwood	3	Pole	8						
White Pine	1	Log/Pole	12						
30	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	21.0	106	81-110	N/A		2026 BA: 140, 70, 90. Thinned in 2009 (61-081-08-01). Heavy to pole timber in places. Nice straight single stemmed trees. Most if not all aspen has died out. [2nd age is a planting record for the white pine component 2019: the south arm of the stand, along the west side of stand 40, was formerly a separate stand; it was thinned in spring, 2019 to a residual BA of about 70, and similar enough to merge with stand 30]	
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height		Size
Sugar Maple	42	Pole/Log	9		Beech	Low	5 - 10 feet		5 - 10 feet
Red Maple	52	Log/Pole	14	106	Ironwood	Low	Variable		Variable
Black Cherry	5	Log/Pole	14		Red Maple	Low	>20 feet		>20 feet
White Pine	1	Log/Pole	10	68	White Pine	Trace	5 - 10 feet		5 - 10 feet
31	42110 - Planted Red Pine	Sapling Well	30.3	5	Immature	N/A	Heights about 2-3ft. 2024 - Stand has passed year 3 regeneration survey that was completed 9/18/2024. Stand has an estimated 833 TPA and is currently around 99% free to grow. 2022 Fall - 10/25/2022 Stand's First Year Regen Survey was completed; Stand has an estimated 872 trees per acre and is 99% free to grow at this time. 2022 Spring - Stand Was Planted to Red Pine 5/7/2022 2021 - Stand was site prep sprayed.2020 Stand was Trenched to plant red pine.2019 - Clearcut in July 2019, chip-harvested. Three retention islands of mixed RP/JP/maple totaling 2.2 acres. Remnant sugar/red maple along east edge and a few scattered through the stand. East edge was excluded from sale, including a small opening already filling in with some pine volunteers.		
Canopy Species	% Cover	Size Class	DBH	Age					
Red Pine	99	Sapling	1	5					
Jack Pine	1	Sapling	1	5					
32	500 - Water	None	5.2			No	Eliza Lake. Water level lower than normal. Mud lines the edge of the lake where water level used to be. Abundance of wildlife tracks in mud (mostly deer). 2006 comments: Wood ducks, mallards seen. Pair of sandhill cranes feeding, possibly nesting here.		
					Sub-Canopy Species	Density	Avg. Height	Size	
					Mixed Sedges/Grasses	Medium	Not Applicable	Not Applicable	





</



<



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments					
45	4139 - Aspen, Mixed Deciduous	Sawtimber Well	27.1	52	81-110	N/A	Remnant maples from before last harvest. Mixed aspen/hardwood poles, scattered small openings/frost pockets. Hardwoods are mostly multi-stemmed. Bigtooth mainly on hills & ridges, mainly quaking aspen on lower slopes and depressions. Successional push to hardwoods (RM, SM, AB). Sapling layer mostly red maple, sugar maple, also some beech and ironwood. 2019: original stand was split: southeast part was clearcut in 2019, is now stand 53.					
								Canopy Species	% Cover	Size Class	DBH	Age
								Sugar Maple	6	Log/Pole	10	
								Red Maple	40	Log/Pole	10	105
								Quaking Aspen	10	Pole	9	52
								Bigtooth Aspen	40	Log/Pole	11	52
								Black Cherry	4	Pole	9	
46	4130 - Aspen	Poletimber Well	17.1	52	111-140	N/A						
								Canopy Species	% Cover	Size Class	DBH	Age
								Red Maple	3	Log/Pole	10	
								Quaking Aspen	8	Pole	8	52
								Bigtooth Aspen	80	Pole	9	52
								Black Cherry	7	Log/Pole	12	
								Sugar Maple	1	Pole	5	
Ironwood	1	Pole/Sapling	5									
47	3103 - Rubus-Fern	None	1.2			No	-2026: northern long sedge, mullein, rabbit tobacco, horsemint (trace)- Removed most of the deciduous trees in spring 2019 commercial harvest.-2006 comments: Slow aspen encroachment into frost pocket. Rice grass, sheep sorrel, lycopodium, and some poverty grass. Frost pocket and foot access only.					
								Sub-Canopy Species	Density	Avg. Height	Size	
								Black Cherry	Trace	>20 feet	>20 feet	
								Bracken Fern	Full	Not Applicable	Not Applicable	
								Blackberry/Raspberry	Trace	5 - 10 feet	5 - 10 feet	
								Canada Thistle	Trace	Not Applicable	Not Applicable	
								Honeysuckle (spp.)	Trace	< 5 feet	< 5 feet	
White Pine	Trace	>20 feet	>20 feet									
48	4130 - Aspen	Sapling Well	5.1	7	Immature	N/A	Clearcut in spring 2019 for sale 61-026-18. Aspen is generally evenly distributed with a few no growth patches. No aspen regeneration in the south tail of the stand; only red maple and cherry. Aspen is a mixture of quaking and bigtooth, but amounts of each are currently unknown.					
								Canopy Species	% Cover	Size Class	DBH	Age
								Sugar Maple	3	Log/Pole/Sap	10	
								Red Maple	1	Log/Pole	11	
								Red Oak	1	Log	12	
								Red Pine	5	Pole	8	39
								Quaking Aspen	40	Sapling	1	7
Bigtooth Aspen	40	Sapling	1	7								
Black Cherry	10	Sapling	1	7								
							Retention areas: mature hardwoods on a slope along the east side, a small block of planted red pine, plus some scattered individual trees.					
								Sub-Canopy Species	Density	Avg. Height	Size	
								Beech	Trace	< 5 feet	< 5 feet	



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																												
49	42110 - Planted Red Pine	Poletimber Well	20.2	39	201+	N/A	Planted: 1987 Never thinned. Stand consists of 3 separated chunks. Mild slope in northern most chunk. 2026 BA: 240, 220,160, 200, 220, 170																																																												
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Pine</td><td>94</td><td>Pole</td><td>8</td><td>39</td></tr><tr><td>Black Cherry</td><td>4</td><td>Log/XLog/Pole</td><td>14</td><td></td></tr><tr><td>Red Maple</td><td>1</td><td>Log/Pole</td><td>12</td><td></td></tr><tr><td>Sugar Maple</td><td>1</td><td>Pole</td><td>7</td><td></td></tr></table> <table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Trace</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Sugar Maple</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>								Canopy Species	% Cover	Size Class	DBH	Age	Red Pine	94	Pole	8	39	Black Cherry	4	Log/XLog/Pole	14		Red Maple	1	Log/Pole	12		Sugar Maple	1	Pole	7		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Trace	< 5 feet	< 5 feet	Sugar Maple	Trace	5 - 10 feet	5 - 10 feet																							
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Red Pine	94	Pole	8	39																																																															
Black Cherry	4	Log/XLog/Pole	14																																																																
Red Maple	1	Log/Pole	12																																																																
Sugar Maple	1	Pole	7																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Beech	Trace	< 5 feet	< 5 feet																																																																
Sugar Maple	Trace	5 - 10 feet	5 - 10 feet																																																																
50	3301 - Low Density Deciduous Trees	None	4.4			No	Ground cover info mostly from 2006 inventory. [2006 comments: Large clump of red maple, quaking aspen, juneberry in center of south lobe. Frost pocket. Rice grass, sedges, hawkweed, beech saps, crab apple, hawthorne, strawberry, sumac.]2026-see above spp. and horsemint, honeysuckle starting to pop up																																																												
<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Red Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Common Or Ground Juniper</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Black Cherry</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Cladonia (Reindeer moss)</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Serviceberry (Juneberry)</td><td>Trace</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Bracken Fern</td><td>Full</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Mixed Grasses</td><td>Low</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>White Pine</td><td>Low</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Unlisted - See Comments</td><td>Medium</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Quaking Aspen</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr></table>								Sub-Canopy Species	Density	Avg. Height	Size	Red Maple	Low	>20 feet	>20 feet	Common Or Ground Juniper	Trace	5 - 10 feet	5 - 10 feet	Black Cherry	Low	>20 feet	>20 feet	Cladonia (Reindeer moss)	Trace	Not Applicable	Not Applicable	Serviceberry (Juneberry)	Trace	10 - 20 feet	10 - 20 feet	Bracken Fern	Full	Not Applicable	Not Applicable	Mixed Grasses	Low	Not Applicable	Not Applicable	White Pine	Low	10 - 20 feet	10 - 20 feet	Unlisted - See Comments	Medium	< 5 feet	< 5 feet	Quaking Aspen	Trace	>20 feet	>20 feet																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Red Maple	Low	>20 feet	>20 feet																																																																
Common Or Ground Juniper	Trace	5 - 10 feet	5 - 10 feet																																																																
Black Cherry	Low	>20 feet	>20 feet																																																																
Cladonia (Reindeer moss)	Trace	Not Applicable	Not Applicable																																																																
Serviceberry (Juneberry)	Trace	10 - 20 feet	10 - 20 feet																																																																
Bracken Fern	Full	Not Applicable	Not Applicable																																																																
Mixed Grasses	Low	Not Applicable	Not Applicable																																																																
White Pine	Low	10 - 20 feet	10 - 20 feet																																																																
Unlisted - See Comments	Medium	< 5 feet	< 5 feet																																																																
Quaking Aspen	Trace	>20 feet	>20 feet																																																																
51	310 - Herbaceous Openland	None	29.1			Yes	2026: ORV trespass from adjacent private home.Nice opening with good tree cover islands scattered throughout the stand.Ground cover info is from 2006 inventory. Adjacent private homes to the east. Stand is succeeding to northern hardwoods, with halos of maple regeneration surrounding older open-grown cherry. [2006 comments: Sparse, open grown hardwoods: cherry, red maple, sugar maple. Scattered white pine and juniper. Series of frost pockets and old farm fields. Rice grass, lycopodium, moss, hawkweed, rubus, SJW. Old farm field portion of stand borders private property.] 2019: the northeast part of the stand was commercially harvested in April 2019 to remove most of the deciduous trees >5" dbh for opening maintenance																																																												
<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Black Cherry</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Common Or Ground Juniper</td><td>Low</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Bracken Fern</td><td>High</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Sugar Maple</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Red Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Black Cherry</td><td>Low</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Red Pine</td><td>Trace</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Quaking Aspen</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Cladonia (Reindeer moss)</td><td>Full</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Poverty Grass</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Sugar Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Beech</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>								Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry	Low	>20 feet	>20 feet	Common Or Ground Juniper	Low	< 5 feet	< 5 feet	Bracken Fern	High	Not Applicable	Not Applicable	Sugar Maple	Trace	Variable	Variable	White Pine	Trace	Variable	Variable	White Pine	Trace	>20 feet	>20 feet	Red Maple	Low	>20 feet	>20 feet	Black Cherry	Low	10 - 20 feet	10 - 20 feet	Red Pine	Trace	10 - 20 feet	10 - 20 feet	Quaking Aspen	Low	>20 feet	>20 feet	Cladonia (Reindeer moss)	Full	Not Applicable	Not Applicable	Poverty Grass	Medium	Not Applicable	Not Applicable	Sugar Maple	Trace	>20 feet	>20 feet	Beech	Trace	5 - 10 feet	5 - 10 feet
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Black Cherry	Low	>20 feet	>20 feet																																																																
Common Or Ground Juniper	Low	< 5 feet	< 5 feet																																																																
Bracken Fern	High	Not Applicable	Not Applicable																																																																
Sugar Maple	Trace	Variable	Variable																																																																
White Pine	Trace	Variable	Variable																																																																
White Pine	Trace	>20 feet	>20 feet																																																																
Red Maple	Low	>20 feet	>20 feet																																																																
Black Cherry	Low	10 - 20 feet	10 - 20 feet																																																																
Red Pine	Trace	10 - 20 feet	10 - 20 feet																																																																
Quaking Aspen	Low	>20 feet	>20 feet																																																																
Cladonia (Reindeer moss)	Full	Not Applicable	Not Applicable																																																																
Poverty Grass	Medium	Not Applicable	Not Applicable																																																																
Sugar Maple	Trace	>20 feet	>20 feet																																																																
Beech	Trace	5 - 10 feet	5 - 10 feet																																																																



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																	
52	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	9.1	112	81-110	N/A	Heavy beech scale. 2026 BAs: 140, 40, 80, 40. Select cut in 2000 (61/029/98). Farly heavy removal with lots of regen gaps, which are mostly filling in with beech seedlings and stump sprouts.																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>43</td><td>Log/Pole/XLog</td><td>12</td><td>112</td></tr><tr><td>Red Maple</td><td>38</td><td>Log/XLog</td><td>14</td><td></td></tr><tr><td>Beech</td><td>15</td><td>Log/Pole/XLog</td><td>12</td><td></td></tr><tr><td>Black Cherry</td><td>4</td><td>Log</td><td>12</td><td></td></tr></table>			Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	43	Log/Pole/XLog	12	112	Red Maple	38	Log/XLog	14		Beech	15	Log/Pole/XLog	12		Black Cherry	4	Log	12		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>High</td><td>Variable</td><td>Variable</td></tr><tr><td>Ironwood</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>				Sub-Canopy Species	Density	Avg. Height	Size	Beech	High	Variable	Variable	Ironwood	Low	5 - 10 feet	5 - 10 feet													
Canopy Species	% Cover	Size Class	DBH	Age																																																				
Sugar Maple	43	Log/Pole/XLog	12	112																																																				
Red Maple	38	Log/XLog	14																																																					
Beech	15	Log/Pole/XLog	12																																																					
Black Cherry	4	Log	12																																																					
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Beech	High	Variable	Variable																																																					
Ironwood	Low	5 - 10 feet	5 - 10 feet																																																					
53	4130 - Aspen	Sapling Well	22.6	6	Unspecified	N/A	Clearcut in spring 2019. Five retention islands with red maple, bta, black cherry, and white pine.																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>2</td><td>Pole</td><td>7</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>94</td><td>Sapling</td><td>1</td><td>6</td></tr><tr><td>White Pine</td><td>1</td><td>Pole</td><td>9</td><td></td></tr><tr><td>Black Cherry</td><td>1</td><td>Pole</td><td>6</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>2</td><td>Pole</td><td>7</td><td></td></tr></table>			Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	2	Pole	7		Bigtooth Aspen	94	Sapling	1	6	White Pine	1	Pole	9		Black Cherry	1	Pole	6		Bigtooth Aspen	2	Pole	7		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Cherry (spp.)</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>				Sub-Canopy Species	Density	Avg. Height	Size	Beech	Low	5 - 10 feet	5 - 10 feet	Cherry (spp.)	Low	5 - 10 feet	5 - 10 feet								
Canopy Species	% Cover	Size Class	DBH	Age																																																				
Red Maple	2	Pole	7																																																					
Bigtooth Aspen	94	Sapling	1	6																																																				
White Pine	1	Pole	9																																																					
Black Cherry	1	Pole	6																																																					
Bigtooth Aspen	2	Pole	7																																																					
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Beech	Low	5 - 10 feet	5 - 10 feet																																																					
Cherry (spp.)	Low	5 - 10 feet	5 - 10 feet																																																					
54	4130 - Aspen	Sapling Well	20.5	7	Unspecified	N/A	Clearcut in May 2019 (61-026-18). Some steep slopes turned out to be inoperable, so the retention islands were shifted somewhat from the original sale layout to incorporate these slopes as retention and have parts of the original retention islands harvested. Final retention island area is about 1.5 acres of mixed aspen/red maple/cherry. Well stocked with aspen.																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>1</td><td>Pole</td><td>8</td><td></td></tr><tr><td>White Pine</td><td>2</td><td>Log</td><td>13</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>1</td><td>Pole</td><td>8</td><td></td></tr><tr><td>Black Cherry</td><td>1</td><td>Pole</td><td>7</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>95</td><td>Sapling</td><td>1</td><td>7</td></tr></table>			Canopy Species	% Cover	Size Class	DBH	Age	Red Maple	1	Pole	8		White Pine	2	Log	13		Bigtooth Aspen	1	Pole	8		Black Cherry	1	Pole	7		Bigtooth Aspen	95	Sapling	1	7	<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Serviceberry (Juneberry)</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Cherry (spp.)</td><td>Medium</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Aspen (spp.)</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Beech</td><td>Low</td><td>< 5 feet</td><td>< 5 feet</td></tr></table>				Sub-Canopy Species	Density	Avg. Height	Size	Serviceberry (Juneberry)	Trace	5 - 10 feet	5 - 10 feet	Cherry (spp.)	Medium	10 - 20 feet	10 - 20 feet	Aspen (spp.)	Low	>20 feet	>20 feet	Beech	Low	< 5 feet	< 5 feet
Canopy Species	% Cover	Size Class	DBH	Age																																																				
Red Maple	1	Pole	8																																																					
White Pine	2	Log	13																																																					
Bigtooth Aspen	1	Pole	8																																																					
Black Cherry	1	Pole	7																																																					
Bigtooth Aspen	95	Sapling	1	7																																																				
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Serviceberry (Juneberry)	Trace	5 - 10 feet	5 - 10 feet																																																					
Cherry (spp.)	Medium	10 - 20 feet	10 - 20 feet																																																					
Aspen (spp.)	Low	>20 feet	>20 feet																																																					
Beech	Low	< 5 feet	< 5 feet																																																					
55	3103 - Rubus-Fern	None	2.4			No	Ground cover info mostly from 2006 inventory. [2006 comments: In a valley. Trace of sedge under bracken. Rice cut grass, sheep sorel, occasional beech along perimeter. Red maple, black cherry, and quaking aspen encroachment.]2026: lycopodium																																																	
			<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Sugar Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Bracken Fern</td><td>Full</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Black Cherry</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Mixed Grasses</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Red Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Black Cherry</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Red Pine</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr></table>				Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Trace	>20 feet	>20 feet	Bracken Fern	Full	Not Applicable	Not Applicable	Black Cherry	Trace	>20 feet	>20 feet	Mixed Grasses	Medium	Not Applicable	Not Applicable	Red Maple	Trace	>20 feet	>20 feet	Black Cherry	Trace	>20 feet	>20 feet	Red Pine	Trace	>20 feet	>20 feet																		
Sub-Canopy Species	Density	Avg. Height	Size																																																					
Sugar Maple	Trace	>20 feet	>20 feet																																																					
Bracken Fern	Full	Not Applicable	Not Applicable																																																					
Black Cherry	Trace	>20 feet	>20 feet																																																					
Mixed Grasses	Medium	Not Applicable	Not Applicable																																																					
Red Maple	Trace	>20 feet	>20 feet																																																					
Black Cherry	Trace	>20 feet	>20 feet																																																					
Red Pine	Trace	>20 feet	>20 feet																																																					



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments			
56	4130 - Aspen	Sapling Well	9.4	17	Immature	N/A	Well stocked regeneration. Autumn olive is thick in the southeast lobe of the stand, scattered elsewhere. Couple hemlock poles and red pine saplings; even one scotch pine.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Sugar Maple		4	Log	14	86	Cherry (spp.)		Medium	5 - 10 feet	5 - 10 feet
Bigtooth Aspen		89	Sapling	2	17	Autumn Olive		Trace	< 5 feet	< 5 feet
Red Oak		1	Log/Pole	11		Ironwood		High	Variable	Variable
Black Cherry		2	Sapling	3	17	White Pine		Low	Variable	Variable
Ironwood		1	Sapling	3		Beech		Low	5 - 10 feet	5 - 10 feet
White Pine		2	Log/Pole	10						
Red Maple		1	Log	12						
57	4112 - Maple, Beech, Cherry Association	Sawtimber Well	26.5	105	81-110	N/A	Heavy beech scale. 2026 BAs: 120, 50, 80, 90, 110, 70, 130. Previously thinned (61-029-98) with some large regeneration holes which are filling in with mostly beech seedlings, some with dense aspen sprouts. There is a small aspen clone in middle east part of stand.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Sugar Maple		44	Log/Pole	12	105	Ironwood		Low	5 - 10 feet	5 - 10 feet
Red Maple		38	Log/Pole	13		Beech		High	Variable	Variable
Beech		13	Log/Pole/XLog	16		Bigtooth Aspen		Low	>20 feet	>20 feet
Black Cherry		3	Log	15						
Bigtooth Aspen		2	Pole	5						
58	3301 - Low Density Deciduous Trees	None	2.8			No	2026 (BD): milkweed, honeysuckle, knapweed, mullein, bedstraw presentFairly open with pockets of small DBH wood with some logs. Some ORV damage and created 2-tracks. Chip landing in stand from 2011 aspen harvest in adjacent stand.			
Sub-Canopy Species		Density	Avg. Height	Size						
Sugar Maple		Low	>20 feet	>20 feet						
Poverty Grass		Trace	Not Applicable	Not Applicable						
Red Maple		Low	10 - 20 feet	10 - 20 feet						
Cherry (spp.)		Low	>20 feet	>20 feet						
Cherry (spp.)		Trace	5 - 10 feet	5 - 10 feet						
Red Maple		Low	Variable	Variable						
Jack Pine		Trace	< 5 feet	< 5 feet						
Beech		Trace	5 - 10 feet	5 - 10 feet						
Quaking Aspen		Trace	10 - 20 feet	10 - 20 feet						
Sugar Maple		Trace	5 - 10 feet	5 - 10 feet						
Mixed Grasses		Low	Not Applicable	Not Applicable						
Blackberry/Raspberry		Low	5 - 10 feet	5 - 10 feet						
Bracken Fern		High	Not Applicable	Not Applicable						
Ironwood		Trace	5 - 10 feet	5 - 10 feet						



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments		
59	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	15.9	106	51-80	N/A	Stand was thinned in fall 2011 (61-013-28), whole tree/chip harvested. Beech scale is present. 2026 BAs: 100, 80, 50, 50. Most of the beech and a few other trees were harvested in a salvage cut in fall 2019. Few patches of dense sugar maple saplings. Black cherry has black tar. Absorbed part of opening (stand 50) since it was grown in. Few open spots but BA should be fairly similar throughout.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	45	Log/Pole	12	106	Sugar Maple	Low		Variable	Variable
Red Maple	45	Log/Pole/XLog	16		Ironwood	Low		Variable	Variable
Beech	3	Log/Pole/XLog	15		Beech	High		Variable	Variable
Quaking Aspen	2	Log/Pole	10	80	Black Cherry	Low		Variable	Variable
Black Cherry	5	Log	12						
60	4319 - Mixed Upland Forest	Sawtimber Poor	1.2	91	51-80	N/A	*****NEED TO TAKE AGE CORES*****Previously very small size opening that grew in. It was used in the past as a general landing location as well as open spot for wildlife. Want to continue to keep that open for those purposes. BAs were variable: 40, 130, 50, 0.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
White Pine	49	Log	16	91	White Pine	Low		Variable	Variable
Black Cherry	5	Log/Pole	13						
Red Maple	45	Pole/Log	9	41					
Bigtooth Aspen	1	Log	14						
61	4112 - Maple, Beech, Cherry Association	Sawtimber Well	7.7	106	111-140	N/A	Patch of pole WP at north end along with some younger maple, and a couple veteran WP. 2026 BAs: 110, 120, 100, 110.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	60	Log/Pole	12	106	Ironwood	Medium		Variable	Variable
Red Maple	21	Log/Pole	13		White Pine	Trace		5 - 10 feet	5 - 10 feet
Basswood	12	Log/Pole	11		Sugar Maple	Low		Variable	Variable
Black Cherry	3	Pole	8						
Ironwood	2	Pole	6						
Hemlock	1	Log/XLog	16						
White Pine	1	Log/Pole/XLog	10						
62	42110 - Planted Red Pine	Poletimber Well	21.7	39	171-200	N/A	Planted: 19872026 RP heights: 35', 27', 33', 40'		
Canopy Species	% Cover	Size Class	DBH	Age					
Red Maple	2	Log/Pole	12						
Red Pine	93	Pole	7	39					
Black Cherry	4	Log/Pole	10						
White Pine	1	Pole	9						
63	4131 - Aspen, Oak	Poletimber Well	24.8	60	81-110	N/A	Although aspen, there is still a heavy oak component in the east portion. Aspen is more concentrated in the west portion of stand. The BA is lower in concentrated hardwood areas and higher in aspen pockets. Un-official 2-track runs through South portion of stand. Lots of deer activity.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	8	Log/Pole	15		Autumn Olive	Trace		< 5 feet	< 5 feet
Red Maple	8	Log/Pole	10		Ironwood	Medium		Variable	Variable
Red Oak	20	Log/Pole	11	96	White Pine	Low		Variable	Variable
Bigtooth Aspen	60	Pole/Log	9	60	Cherry (spp.)	Low		Variable	Variable
Black Cherry	1	Pole	8		Ironwood	Low		< 5 feet	< 5 feet
White Pine	3	Log/XLog	16						



MICHIGAN

Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																																																	
64	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	27.7	117	51-80	N/A	Mean 2016 BAs from 4 plots: 100, 80, 80, 70, 50, 60. Thinned in fall 2019 (61-009-18) and 2001. Scattered bigtooth aspen and yellow birch. Some girdled beech are now dead and falling down. Scattered hemlock snags, some hemlock saplings. Fair amount of CWD																																																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Sugar Maple</td><td>45</td><td>Log</td><td>13</td><td>117</td><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Red Maple</td><td>35</td><td>Log</td><td>15</td><td></td><td>Ironwood</td><td>Trace</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Beech</td><td>10</td><td>XLog/Log</td><td>20</td><td></td><td>Beech</td><td>High</td><td>Variable</td><td>Variable</td></tr><tr><td>Basswood</td><td>2</td><td>Log</td><td>14</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Black Cherry</td><td>8</td><td>Log</td><td>14</td><td></td><td></td><td></td><td></td><td></td></tr></table>								Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	45	Log	13	117	Sugar Maple	Low	>20 feet	>20 feet	Red Maple	35	Log	15		Ironwood	Trace	< 5 feet	< 5 feet	Beech	10	XLog/Log	20		Beech	High	Variable	Variable	Basswood	2	Log	14						Black Cherry	8	Log	14																																
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size																																																																																
Sugar Maple	45	Log	13	117	Sugar Maple	Low	>20 feet	>20 feet																																																																																
Red Maple	35	Log	15		Ironwood	Trace	< 5 feet	< 5 feet																																																																																
Beech	10	XLog/Log	20		Beech	High	Variable	Variable																																																																																
Basswood	2	Log	14																																																																																					
Black Cherry	8	Log	14																																																																																					
65	3301 - Low Density Deciduous Trees	None	12.2			Yes	Basically flat with some depressions probably from old homestead. ORV tracks /damage. Stand encompasses intersection of Hooker rd. and Rayle Rd. Most trees were cut in 2011 (61-013-08) when timber sale was in neighboring stand, and was used as a landing for the sale.																																																																																	
<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Spotted Knapweed</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Bracken Fern</td><td>High</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Poverty Grass</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Beech</td><td>Trace</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Serviceberry (Juneberry)</td><td>Trace</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>White Pine</td><td>Low</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Quaking Aspen</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Ironwood</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>Black Cherry</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>White Pine</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Black Cherry</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Autumn Olive</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Sugar Maple</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Black Cherry</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr></table>								Sub-Canopy Species	Density	Avg. Height	Size	Spotted Knapweed	Medium	Not Applicable	Not Applicable	Bracken Fern	High	Not Applicable	Not Applicable	Poverty Grass	Medium	Not Applicable	Not Applicable	Beech	Trace	10 - 20 feet	10 - 20 feet	Serviceberry (Juneberry)	Trace	10 - 20 feet	10 - 20 feet	White Pine	Low	10 - 20 feet	10 - 20 feet	Quaking Aspen	Low	>20 feet	>20 feet	Ironwood	Trace	Variable	Variable	Black Cherry	Trace	>20 feet	>20 feet	White Pine	Trace	>20 feet	>20 feet	Black Cherry	Low	>20 feet	>20 feet	Autumn Olive	Trace	5 - 10 feet	5 - 10 feet	Sugar Maple	Low	Variable	Variable	Black Cherry	Low	>20 feet	>20 feet																					
Sub-Canopy Species	Density	Avg. Height	Size																																																																																					
Spotted Knapweed	Medium	Not Applicable	Not Applicable																																																																																					
Bracken Fern	High	Not Applicable	Not Applicable																																																																																					
Poverty Grass	Medium	Not Applicable	Not Applicable																																																																																					
Beech	Trace	10 - 20 feet	10 - 20 feet																																																																																					
Serviceberry (Juneberry)	Trace	10 - 20 feet	10 - 20 feet																																																																																					
White Pine	Low	10 - 20 feet	10 - 20 feet																																																																																					
Quaking Aspen	Low	>20 feet	>20 feet																																																																																					
Ironwood	Trace	Variable	Variable																																																																																					
Black Cherry	Trace	>20 feet	>20 feet																																																																																					
White Pine	Trace	>20 feet	>20 feet																																																																																					
Black Cherry	Low	>20 feet	>20 feet																																																																																					
Autumn Olive	Trace	5 - 10 feet	5 - 10 feet																																																																																					
Sugar Maple	Low	Variable	Variable																																																																																					
Black Cherry	Low	>20 feet	>20 feet																																																																																					
66	4119 - Mixed Northern Hardwoods	Sawtimber Well	35.1	113	111-140	N/A	Thinned in 2009 under TSC #61-017-08-01. 2026 BAs: 120, 130, 120, 100. Diverse stand. New sugar maple poles and sugar maple saplings that have made it above browse height. Some IW 10-15ft.																																																																																	
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Sugar Maple</td><td>40</td><td>Log/Pole</td><td>10</td><td>113</td><td>Ironwood</td><td>High</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Red Maple</td><td>25</td><td>Log/Pole</td><td>14</td><td></td><td>Sugar Maple</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Bigtooth Aspen</td><td>4</td><td>Log</td><td>14</td><td>81</td><td>Ironwood</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>13</td><td>XLog</td><td>24</td><td></td><td>Hemlock</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Black Cherry</td><td>7</td><td>Pole/Log</td><td>9</td><td></td><td>Beech</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>Basswood</td><td>3</td><td>Log/Pole</td><td>13</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Red Oak</td><td>7</td><td>XLog/Log</td><td>20</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Beech</td><td>1</td><td>XLog/Log</td><td>20</td><td></td><td></td><td></td><td></td><td></td></tr></table>								Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	40	Log/Pole	10	113	Ironwood	High	< 5 feet	< 5 feet	Red Maple	25	Log/Pole	14		Sugar Maple	Low	5 - 10 feet	5 - 10 feet	Bigtooth Aspen	4	Log	14	81	Ironwood	Low	Variable	Variable	White Pine	13	XLog	24		Hemlock	Low	>20 feet	>20 feet	Black Cherry	7	Pole/Log	9		Beech	Trace	Variable	Variable	Basswood	3	Log/Pole	13						Red Oak	7	XLog/Log	20						Beech	1	XLog/Log	20					
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size																																																																																
Sugar Maple	40	Log/Pole	10	113	Ironwood	High	< 5 feet	< 5 feet																																																																																
Red Maple	25	Log/Pole	14		Sugar Maple	Low	5 - 10 feet	5 - 10 feet																																																																																
Bigtooth Aspen	4	Log	14	81	Ironwood	Low	Variable	Variable																																																																																
White Pine	13	XLog	24		Hemlock	Low	>20 feet	>20 feet																																																																																
Black Cherry	7	Pole/Log	9		Beech	Trace	Variable	Variable																																																																																
Basswood	3	Log/Pole	13																																																																																					
Red Oak	7	XLog/Log	20																																																																																					
Beech	1	XLog/Log	20																																																																																					



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments				
67	4130 - Aspen	Sapling Well	10.7	17	1-50	N/A	Stand has a few remnant sugar maple and basswood in addition to oak on the perimeter. Well stocked aspen regeneration. Stand was cut in 2009 in sale 61-002-08.				
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size	
Red Oak		4	Log/Pole	10		Black Cherry		Low	Variable	Variable	
Bigtooth Aspen		84	Sapling	3	17	White Pine		Medium	Variable	Variable	
White Pine		6	XLog	24	104	Autumn Olive		Trace	< 5 feet	< 5 feet	
White Pine		6	Sapling/Pole	4		Ironwood		Low	Variable	Variable	
68	4116 - Mixed N. Hardwood - Aspen	Poletimber Well	3.7	52	81-110	N/A	This stand was split off from parent stand 54 during sale prep in 2018. Variable BA due to growth into pole class. Few large log sized sugar maple.				
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size	
Red Maple		43	Pole	8	52	Maple (spp.)		Medium	>20 feet	>20 feet	
Quaking Aspen		5	Pole	8	52	Beech		High	Variable	Variable	
Bigtooth Aspen		20	Log/Pole	10	52	Ironwood		High	Variable	Variable	
Black Cherry		5	Log/Pole	14							
Beech		7	Pole/Log	9							
Ironwood		10	Pole/Sapling	5							
Sugar Maple		10	Pole	5							
69	3303 - Mixed Low Density Trees	None	5.8			No	Trees are mostly in dense patches; rest of stand is fairly open. Goldenrod, sheep sorrel, leafy spurge, mullein, occasional juniper. Some depressions in the ground possibly from old homestead. Old apple and lilac on the perimeter by the road. This stand has almost 0.25 miles of road frontage. Red pine: trace, saplings. Mullein. Do not use as timber landing and keep logging equipment disturbance at a minimum (preferred to keep out completely). This is to limit to spread of invasives such as knapweed, leafy spurge or autumn olive nearby this site. Along with other invasives found along roadside.				
Sub-Canopy Species		Density	Avg. Height	Size							
Sugar Maple		Trace	>20 feet	>20 feet							
White Pine		Low	Variable	Variable							
Juniper		Trace	< 5 feet	< 5 feet							
Bigtooth Aspen		Low	Variable	Variable							
Autumn Olive		Trace	5 - 10 feet	5 - 10 feet							
White Pine		Low	>20 feet	>20 feet							
White Pine		Trace	>20 feet	>20 feet							
Mixed Grasses		Low	Not Applicable	Not Applicable							
Spotted Knapweed		Medium	Not Applicable	Not Applicable							
Jack Pine		Trace	10 - 20 feet	10 - 20 feet							
Bracken Fern		High	Not Applicable	Not Applicable							
Red Oak		Trace	>20 feet	>20 feet							
Black Walnut		Trace	>20 feet	>20 feet							
Bigtooth Aspen		Low	>20 feet	>20 feet							
Black Cherry		Trace	>20 feet	>20 feet							



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments		
70	4130 - Aspen	Poletimber Well	32.0	37	111-140	N/A	Few remnant hemlock and white pine. Stand surrounds wetland. Quaking more concentrated near wetland. BA are the poles that just graduated from the sapling class. Steeper topo leading down to wetland.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	2	Pole/Sapling	5		Sugar Maple	Low		10 - 20 feet	10 - 20 feet
Quaking Aspen	24	Pole/Sapling	7	37	Ironwood	Low		Variable	Variable
Bigtooth Aspen	68	Pole/Sapling	7	37	Black Cherry	Low		10 - 20 feet	10 - 20 feet
Hemlock	2	Log	14						
Black Cherry	3	Pole	7	37					
Red Maple	1	Sapling/Pole	4						
71	6233 - Wet Meadow	None	2.9			No		High water level.	
					Sub-Canopy Species	Density	Avg. Height	Size	
					Willow spp.	Trace	5 - 10 feet	5 - 10 feet	
					Mixed Sedges/Grasses	High	Not Applicable	Not Applicable	
72	4119 - Mixed Northern Hardwoods	Sawtimber Well	140.0	113	81-110	N/A	Ash, cherry, and some of the aspen have died, so BA is still relatively low. Many of the maple are multi-stemmed. Few live cherries in south 1/2, but most are snags. Areas are variable BA and size class. Some larger sapling/small pole pockets. Couple hemlock. 26" DBH BTA!		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	45	Log/Pole	10	113	Red Oak	Trace		< 5 feet	< 5 feet
Red Maple	22	Log	13		White Pine	Trace		Variable	Variable
Basswood	15	Log	11		Ironwood	Low		< 5 feet	< 5 feet
Red Oak	7	XLog/Log/Pole	22		Beech	Trace		Variable	Variable
Bigtooth Aspen	7	Log/Pole	13		Sugar Maple	Medium		>20 feet	>20 feet
Ironwood	2	Pole	5		Ironwood	Medium		Variable	Variable
Beech	1	Log	12						
Black Cherry	1	Pole	5						
73	4130 - Aspen	Sapling Medium	8.8	15	1-50	N/A		Good stocking at about 2-3" DBH, but open at the bottom of the basin. Stand was clearcut in fall 2011 (61-013-08), retaining white pine, single-stemmed maple, cherry, basswood, hemlock, about 16 BA. Stand is in a low lying area, may be a cold air sink. Some fairly steep slopes in some parts of the stand.	
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density			Avg. Height
Quaking Aspen	60	Sapling	3	15	Beech	Low	Variable		Variable
White Pine	3	Log/Pole	11		Ironwood	Low	5 - 10 feet		5 - 10 feet
Red Maple	1	Log/Pole	10		Bracken Fern	Full	Not Applicable		Not Applicable
Sugar Maple	1	Log/Pole	11						
Black Cherry	1	Log/Pole	10						
Bigtooth Aspen	34	Sapling	3	15					



Stand

Level 4 Cover Type

Size Density

Acres

Stand Age

BA Range

Managed Site

General Comments

MICHIGAN

74

4319 - Mixed Upland Forest

Sawtimber Well

8.3

120

81-110

N/A

Majority of the hemlock are pole sized but are in the sub-canopy. [2006: Aged hemlock was a 7" dbh understory tree, very tight rings.] Some CWD was left as part of sale. Large, old white pine; may have old growth potential. Thinned in fall 2019 (61-029-18).

Canopy Species	% Cover	Size Class	DBH	Age
Sugar Maple	15	Log	16	131
Red Maple	30	Log/Pole	11	
Basswood	5	Pole/Log	8	
Bigtooth Aspen	1	Log	12	
White Pine	45	XLog	26	120
Black Cherry	2	Log	15	
Hemlock	2	Log/Pole	12	

Sub-Canopy Species	Density	Avg. Height	Size
Hemlock	Medium	Variable	Variable
Ironwood	Medium	Variable	Variable
Ironwood	Medium	< 5 feet	< 5 feet
Red Maple	Low	>20 feet	>20 feet

75

4130 - Aspen

Sawtimber Well

14.8

56

111-140

N/A

Conifer component is mainly in NW part of stand. Older timber in a strip along the south and east sides of wetland at south end of stand. Northeast half of stand was clearcut in 2020, now stand 140.

Canopy Species	% Cover	Size Class	DBH	Age
Sugar Maple	5	Pole/Log	9	
Red Maple	14	Log/Pole	11	
Basswood	2	Pole/Log	8	
Bigtooth Aspen	71	Log/Pole	11	56
White Pine	5	Log/Pole/XLog	12	
Black Cherry	3	Log	10	

Sub-Canopy Species	Density	Avg. Height	Size
Ironwood	Medium	Variable	Variable
White Pine	Low	Variable	Variable
Beech	Low	5 - 10 feet	5 - 10 feet
Sugar Maple	Low	Variable	Variable

76

4119 - Mixed Northern Hardwoods

Sawtimber Well

14.2

117

111-140

N/A

2026 BAs: 70, 130, 180, 160, 120. Most overstory white pine is in the NW part of the stand. Fair number of trees have woodpecker holes, especially on aspen that is dying out. Beech scale present on the couple of Xlog trees. Some higher BAs because of new SM poles.

Canopy Species	% Cover	Size Class	DBH	Age
Sugar Maple	50	Pole/Log	9	117
Basswood	25	Log/Pole	11	
Red Maple	9	Pole/Log	8	
Bigtooth Aspen	4	Log	14	
White Pine	10	XLog	20	
Red Oak	2	XLog	22	

Sub-Canopy Species	Density	Avg. Height	Size
Hemlock	Low	>20 feet	>20 feet
Sugar Maple	Low	>20 feet	>20 feet
White Pine	Low	Variable	Variable
Ironwood	Full	Variable	Variable

77

4110 - Sugar Maple Association

Sawtimber Well

10.0

105

111-140

N/A

2026 BAs: 120, 140, 100, 110, 100. Lower quality hardwoods, but has some decent sugar maple poles that would benefit from a thinning. More maple saplings in N chunk.

Canopy Species	% Cover	Size Class	DBH	Age
Sugar Maple	50	Log/Pole	10	105
Basswood	35	Log	15	
Red Maple	2	Pole/Log	8	
Black Cherry	9	Log	11	
Ironwood	2	Pole	8	
Quaking Aspen	2	Log/Pole	14	

Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple	Medium	Variable	Variable
Ironwood	Medium	Variable	Variable

78

6233 - Wet Meadow

None

1.1

No

Much higher water level than last field visit. Some reed canary grass on edge.

Sub-Canopy Species	Density	Avg. Height	Size
Mixed Sedges/Grasses	High	Not Applicable	Not Applicable



MICHIGAN



MICHIGAN

Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																																								
83	6233 - Wet Meadow	None	2.0			No	Higher water level with mixed grasses.																																																																								
<table><tr><th colspan="2">Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td colspan="2">Rushes</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td colspan="2">Bracken Fern</td><td>Low</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td colspan="2">Sedges</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td colspan="2">Mixed Grasses</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr></table>								Sub-Canopy Species		Density	Avg. Height	Size	Rushes		Medium	Not Applicable	Not Applicable	Bracken Fern		Low	Not Applicable	Not Applicable	Sedges		Medium	Not Applicable	Not Applicable	Mixed Grasses		Medium	Not Applicable	Not Applicable																																															
Sub-Canopy Species		Density	Avg. Height	Size																																																																											
Rushes		Medium	Not Applicable	Not Applicable																																																																											
Bracken Fern		Low	Not Applicable	Not Applicable																																																																											
Sedges		Medium	Not Applicable	Not Applicable																																																																											
Mixed Grasses		Medium	Not Applicable	Not Applicable																																																																											
84	4130 - Aspen	Sapling Well	22.6	6	Unspecified	N/A	Clearcut completed December 2019 (61-004-18). There are 5 small mixed-species retention islands in the stand, plus scattered individual residual white pines and some hardwoods. Overall, good aspen regeneration with a few patches of little to no growth.																																																																								
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Bigtooth Aspen</td><td>94</td><td>Sapling</td><td>2</td><td>6</td><td>Red Maple</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>White Pine</td><td>1</td><td>Log/Pole</td><td>14</td><td></td><td>Blackberry/Raspberry</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Sugar Maple</td><td>2</td><td>Pole</td><td>7</td><td></td><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Bigtooth Aspen</td><td>3</td><td>Pole</td><td>8</td><td></td><td></td><td></td><td></td><td></td></tr></table>								Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size	Bigtooth Aspen	94	Sapling	2	6	Red Maple	Trace	>20 feet	>20 feet	White Pine	1	Log/Pole	14		Blackberry/Raspberry	Low	5 - 10 feet	5 - 10 feet	Sugar Maple	2	Pole	7		Ironwood	Medium	Variable	Variable	Bigtooth Aspen	3	Pole	8																																
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size																																																																							
Bigtooth Aspen	94	Sapling	2	6	Red Maple	Trace	>20 feet	>20 feet																																																																							
White Pine	1	Log/Pole	14		Blackberry/Raspberry	Low	5 - 10 feet	5 - 10 feet																																																																							
Sugar Maple	2	Pole	7		Ironwood	Medium	Variable	Variable																																																																							
Bigtooth Aspen	3	Pole	8																																																																												
85	3103 - Rubus-Fern	None	1.8			No	Recorded ground cover info is primarily from 2006 inventory. [2006 comments: Opening in a draw, likely maintained naturally as an opening by cold air flow and frost. Choke cherry, rubus, hawthorne, juneberry, milkweed, timothy, horsemint, bunchgrass, sedges, daisy fleabane, strawberry, cladonia, hoary alysum.]old grade in a valley of 2 hillsides.																																																																								
<table><tr><th colspan="2">Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td colspan="2">Bracken Fern</td><td>Full</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td colspan="2">St. Johns Wort</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td colspan="2">Quaking Aspen</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td colspan="2">White Pine</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td colspan="2">Honeysuckle (spp.)</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td colspan="2">Cladonia (Reindeer moss)</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td colspan="2">White Pine</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td colspan="2">Quaking Aspen</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td colspan="2">Red Maple</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td colspan="2">Mixed Grasses</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td colspan="2">Mixed Fruiting Shrubs</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td colspan="2">Black Cherry</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td colspan="2">Black Cherry</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>								Sub-Canopy Species		Density	Avg. Height	Size	Bracken Fern		Full	Not Applicable	Not Applicable	St. Johns Wort		Trace	Not Applicable	Not Applicable	Quaking Aspen		Trace	>20 feet	>20 feet	White Pine		Low	Variable	Variable	Honeysuckle (spp.)		Trace	5 - 10 feet	5 - 10 feet	Cladonia (Reindeer moss)		Trace	Not Applicable	Not Applicable	White Pine		Trace	>20 feet	>20 feet	Quaking Aspen		Trace	5 - 10 feet	5 - 10 feet	Red Maple		Trace	5 - 10 feet	5 - 10 feet	Mixed Grasses		Medium	Not Applicable	Not Applicable	Mixed Fruiting Shrubs		Trace	Not Applicable	Not Applicable	Black Cherry		Trace	>20 feet	>20 feet	Black Cherry		Low	5 - 10 feet	5 - 10 feet		
Sub-Canopy Species		Density	Avg. Height	Size																																																																											
Bracken Fern		Full	Not Applicable	Not Applicable																																																																											
St. Johns Wort		Trace	Not Applicable	Not Applicable																																																																											
Quaking Aspen		Trace	>20 feet	>20 feet																																																																											
White Pine		Low	Variable	Variable																																																																											
Honeysuckle (spp.)		Trace	5 - 10 feet	5 - 10 feet																																																																											
Cladonia (Reindeer moss)		Trace	Not Applicable	Not Applicable																																																																											
White Pine		Trace	>20 feet	>20 feet																																																																											
Quaking Aspen		Trace	5 - 10 feet	5 - 10 feet																																																																											
Red Maple		Trace	5 - 10 feet	5 - 10 feet																																																																											
Mixed Grasses		Medium	Not Applicable	Not Applicable																																																																											
Mixed Fruiting Shrubs		Trace	Not Applicable	Not Applicable																																																																											
Black Cherry		Trace	>20 feet	>20 feet																																																																											
Black Cherry		Low	5 - 10 feet	5 - 10 feet																																																																											
86	4111 - S.Maple, Hard Mast Association	Sawtimber Well	49.9	118	81-110	N/A	Thinned in winter 2009-2010 (61-032-0801). Standing dead ash. Some regeneration gaps set up adjacent to mature oaks have only ironwood and a little white pine regeneration. 2026 BAs: 100, 90, 70, 70, 120, 60, 70. Red oak most concentrated at east end of stand. 2017: an oak wilt patch was treated (all red oak removed) in the northeast end of the stand, extending onto adjacent private land to the north.																																																																								
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Sugar Maple</td><td>51</td><td>Log/Pole</td><td>11</td><td>118</td><td>Sugar Maple</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Red Maple</td><td>5</td><td>Log/Pole</td><td>12</td><td></td><td>Hemlock</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Basswood</td><td>25</td><td>Log/Pole</td><td>12</td><td></td><td>Ironwood</td><td>Full</td><td>Variable</td><td>Variable</td></tr><tr><td>Red Oak</td><td>12</td><td>XLog</td><td>26</td><td></td><td>White Pine</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>4</td><td>XLog</td><td>25</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Black Cherry</td><td>1</td><td>Log/Pole</td><td>10</td><td></td><td></td><td></td><td></td><td></td></tr><tr><td>Ironwood</td><td>2</td><td>Pole</td><td>7</td><td></td><td></td><td></td><td></td><td></td></tr></table>								Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	51	Log/Pole	11	118	Sugar Maple	Low	Variable	Variable	Red Maple	5	Log/Pole	12		Hemlock	Low	>20 feet	>20 feet	Basswood	25	Log/Pole	12		Ironwood	Full	Variable	Variable	Red Oak	12	XLog	26		White Pine	Low	Variable	Variable	White Pine	4	XLog	25						Black Cherry	1	Log/Pole	10						Ironwood	2	Pole	7					
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size																																																																							
Sugar Maple	51	Log/Pole	11	118	Sugar Maple	Low	Variable	Variable																																																																							
Red Maple	5	Log/Pole	12		Hemlock	Low	>20 feet	>20 feet																																																																							
Basswood	25	Log/Pole	12		Ironwood	Full	Variable	Variable																																																																							
Red Oak	12	XLog	26		White Pine	Low	Variable	Variable																																																																							
White Pine	4	XLog	25																																																																												
Black Cherry	1	Log/Pole	10																																																																												
Ironwood	2	Pole	7																																																																												



</



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																																		
95	6131 - Hemlock, White Pine, Maple, Birch	Sawtimber Medium	12.6	115	141-170	N/A	Small stream connecting to lake. Lots of deer bedding. Higher BA as you move east toward the lake. Some supercanopy white pine; trace of black cherry; some dead black ash. Seeps/streams emerging from base of hill. Little winter deer sign; good cover but no browse. Some blowdown. Shoreline on Upper Woodcock Lake.																																																																		
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>25</td><td>Log/Pole</td><td>12</td><td>115</td></tr><tr><td>Yellow Birch</td><td>15</td><td>Log/Pole</td><td>12</td><td></td></tr><tr><td>Basswood</td><td>2</td><td>Log</td><td>14</td><td></td></tr><tr><td>Paper Birch</td><td>5</td><td>Log/Pole</td><td>13</td><td></td></tr><tr><td>Quaking Aspen</td><td>2</td><td>Log/Pole</td><td>13</td><td></td></tr><tr><td>Northern White Cedar</td><td>10</td><td>Log/Pole</td><td>12</td><td></td></tr><tr><td>Tamarack</td><td>25</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>White Pine</td><td>10</td><td>XLog</td><td>26</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Maple	25	Log/Pole	12	115	Yellow Birch	15	Log/Pole	12		Basswood	2	Log	14		Paper Birch	5	Log/Pole	13		Quaking Aspen	2	Log/Pole	13		Northern White Cedar	10	Log/Pole	12		Tamarack	25	Log/Pole	10		White Pine	10	XLog	26		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>White Pine</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Hemlock</td><td>Medium</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Red Maple</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>Tamarack</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>Northern White Cedar</td><td>Medium</td><td>>20 feet</td><td>>20 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Low	Variable	Variable	Hemlock	Medium	>20 feet	>20 feet	Red Maple	Trace	Variable	Variable	Tamarack	Trace	Variable	Variable	Northern White Cedar	Medium	>20 feet	>20 feet
Canopy Species	% Cover	Size Class	DBH	Age																																																																					
Red Maple	25	Log/Pole	12	115																																																																					
Yellow Birch	15	Log/Pole	12																																																																						
Basswood	2	Log	14																																																																						
Paper Birch	5	Log/Pole	13																																																																						
Quaking Aspen	2	Log/Pole	13																																																																						
Northern White Cedar	10	Log/Pole	12																																																																						
Tamarack	25	Log/Pole	10																																																																						
White Pine	10	XLog	26																																																																						
Sub-Canopy Species	Density	Avg. Height	Size																																																																						
White Pine	Low	Variable	Variable																																																																						
Hemlock	Medium	>20 feet	>20 feet																																																																						
Red Maple	Trace	Variable	Variable																																																																						
Tamarack	Trace	Variable	Variable																																																																						
Northern White Cedar	Medium	>20 feet	>20 feet																																																																						
96	4130 - Aspen	Sawtimber Well	2.3	86	141-170	N/A	Some hawthorn, juneberry. Stand is on a steep, inoperable slope. Surrounds part of lake.																																																																		
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>2</td><td>Pole</td><td>8</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>94</td><td>Log/Pole</td><td>11</td><td>86</td></tr><tr><td>Sugar Maple</td><td>4</td><td>Pole</td><td>8</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Maple	2	Pole	8		Bigtooth Aspen	94	Log/Pole	11	86	Sugar Maple	4	Pole	8		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>White Pine</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Mixed Fruiting Shrubs</td><td>Trace</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td>Maple (spp.)</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Red Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Low	>20 feet	>20 feet	Mixed Fruiting Shrubs	Trace	Not Applicable	Not Applicable	Maple (spp.)	Low	Variable	Variable	Ironwood	Medium	Variable	Variable	Red Maple	Low	>20 feet	>20 feet	Sugar Maple	Low	>20 feet	>20 feet																					
Canopy Species	% Cover	Size Class	DBH	Age																																																																					
Red Maple	2	Pole	8																																																																						
Bigtooth Aspen	94	Log/Pole	11	86																																																																					
Sugar Maple	4	Pole	8																																																																						
Sub-Canopy Species	Density	Avg. Height	Size																																																																						
White Pine	Low	>20 feet	>20 feet																																																																						
Mixed Fruiting Shrubs	Trace	Not Applicable	Not Applicable																																																																						
Maple (spp.)	Low	Variable	Variable																																																																						
Ironwood	Medium	Variable	Variable																																																																						
Red Maple	Low	>20 feet	>20 feet																																																																						
Sugar Maple	Low	>20 feet	>20 feet																																																																						
97	4139 - Aspen, Mixed Deciduous	Poletimber Medium	14.6	53	51-80	N/A	Quaking aspen beginning to die out with patchy remnant hardwoods. Thick with sugar maple and/or ironwood regeneration throughout, especially in gaps from dying aspen. BA lower due to more small SM DBH regen.																																																																		
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>40</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Quaking Aspen</td><td>50</td><td>Pole/Log</td><td>9</td><td>53</td></tr><tr><td>Basswood</td><td>7</td><td>XLog/Log</td><td>18</td><td></td></tr><tr><td>Black Cherry</td><td>2</td><td>Pole</td><td>8</td><td></td></tr><tr><td>Ironwood</td><td>1</td><td>Pole</td><td>7</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	40	Log/Pole	10		Quaking Aspen	50	Pole/Log	9	53	Basswood	7	XLog/Log	18		Black Cherry	2	Pole	8		Ironwood	1	Pole	7		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Ironwood</td><td>High</td><td>Variable</td><td>Variable</td></tr><tr><td>Sugar Maple</td><td>Medium</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	High	Variable	Variable	Sugar Maple	Medium	Variable	Variable																											
Canopy Species	% Cover	Size Class	DBH	Age																																																																					
Sugar Maple	40	Log/Pole	10																																																																						
Quaking Aspen	50	Pole/Log	9	53																																																																					
Basswood	7	XLog/Log	18																																																																						
Black Cherry	2	Pole	8																																																																						
Ironwood	1	Pole	7																																																																						
Sub-Canopy Species	Density	Avg. Height	Size																																																																						
Ironwood	High	Variable	Variable																																																																						
Sugar Maple	Medium	Variable	Variable																																																																						
98	4133 - Aspen, Mixed Pine	Sawtimber Well	12.1	56	111-140	N/A	Some low ground, wet spots, especially near the bog. Some ground bog species on the perimeter, as well as more young WP.																																																																		
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>10</td><td>Log/Pole</td><td>11</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>65</td><td>Log/Pole</td><td>10</td><td>56</td></tr><tr><td>White Pine</td><td>21</td><td>Log/Pole/XLog</td><td>10</td><td>90</td></tr><tr><td>Black Cherry</td><td>3</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Sugar Maple</td><td>1</td><td>Pole/Log</td><td>5</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Maple	10	Log/Pole	11		Bigtooth Aspen	65	Log/Pole	10	56	White Pine	21	Log/Pole/XLog	10	90	Black Cherry	3	Log/Pole	10		Sugar Maple	1	Pole/Log	5		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>White Pine</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Ironwood</td><td>Low</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Medium	Variable	Variable	White Pine	Medium	Variable	Variable	Ironwood	Low	< 5 feet	< 5 feet	Ironwood	Medium	Variable	Variable																			
Canopy Species	% Cover	Size Class	DBH	Age																																																																					
Red Maple	10	Log/Pole	11																																																																						
Bigtooth Aspen	65	Log/Pole	10	56																																																																					
White Pine	21	Log/Pole/XLog	10	90																																																																					
Black Cherry	3	Log/Pole	10																																																																						
Sugar Maple	1	Pole/Log	5																																																																						
Sub-Canopy Species	Density	Avg. Height	Size																																																																						
White Pine	Medium	Variable	Variable																																																																						
White Pine	Medium	Variable	Variable																																																																						
Ironwood	Low	< 5 feet	< 5 feet																																																																						
Ironwood	Medium	Variable	Variable																																																																						



</



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments
102	6225 - Bog	None	4.5			No	
103	3303 - Mixed Low Density Trees	None	5.6			No	
104	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	8.7	110	51-80	N/A	

Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size
Sugar Maple	60	Log/Pole	10	110	Sugar Maple	Low	>20 feet	>20 feet
Red Maple	34	Pole	9	110	Ironwood	Low	>20 feet	>20 feet
Black Cherry	5	Log/Pole	12		Beech	Medium	Variable	Variable
White Pine	1	XLog/Log	20		White Pine	Trace	< 5 feet	< 5 feet



MICHIGAN

Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments		
105	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	7.7	106	51-80	N/A	Selection harvest was completed in December 2019 (61-004-18). Although aspen was removed in some gaps, there isn't any aspen regenerated noticed. Most beech.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Bigtooth Aspen	3	Log/Pole	13	77	Ironwood	Medium		< 5 feet	< 5 feet
Red Maple	9	Log/Pole	14		White Pine	Trace		>20 feet	>20 feet
Sugar Maple	75	Log/Pole	10	106	Beech	High		< 5 feet	< 5 feet
Basswood	1	Log/Pole	12		Sugar Maple	Trace		>20 feet	>20 feet
White Pine	7	Log	16		Ironwood	Low		Variable	Variable
Ironwood	2	Pole/Sapling	6						
Black Cherry	3	Log/Pole	10						
106	4319 - Mixed Upland Forest	Sawtimber Well	1.3	79	141-170	N/A	Variable BA as white pine subcanopy begins to fill in.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size	
Sugar Maple	10	Log/Pole	15		White Pine	Low	>20 feet	>20 feet	
Red Maple	20	Log/Pole	12						
Basswood	10	Log/Pole	12						
Bigtooth Aspen	15	Pole/Log	9						
White Pine	45	Log/Pole	10	79					
107	3103 - Rubus-Fern	None	0.9			No	Some white pine saplings are beginning to encroach on the edges. Majority of perimeter share boundary with private property. 2026- white pine are beginning to fill in, but still less than 25%. Leave opening on natural cycle		
					Sub-Canopy Species	Density	Avg. Height	Size	
					Black Cherry	Trace	10 - 20 feet	10 - 20 feet	
					Black Cherry	Trace	>20 feet	>20 feet	
					White Pine	Trace	10 - 20 feet	10 - 20 feet	
					Bigtooth Aspen	Low	>20 feet	>20 feet	
					Red Pine	Trace	Variable	Variable	
					White Pine	Medium	>20 feet	>20 feet	
108	4139 - Aspen, Mixed Deciduous	Sawtimber Well	8.2	52	81-110	N/A	Large hardwood component. Aspen more concentrated on the west side.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size	
Sugar Maple	20	Log/Pole	11		Maple (spp.)	Medium	Variable	Variable	
Red Maple	36	Log/Pole	10		Ironwood	Low	Variable	Variable	
Quaking Aspen	2	Pole	8	52					
Bigtooth Aspen	40	Log/Pole	10	52					
Black Cherry	2	Pole/Log	8						



MICHIGAN

Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																									
109	4130 - Aspen	Poletimber Well	32.6	58	111-140	N/A	Some small patches of predominantly northern hardwoods here and there. Scattered large white pine. More white pine. More IW over 20 ft saplings to the east. Suggested to combine with stand 93. Scattered RM and RO poles throughout.																																																									
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>2</td><td>Pole/Log</td><td>8</td><td></td></tr><tr><td>Red Maple</td><td>5</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>85</td><td>Pole</td><td>8</td><td>58</td></tr><tr><td>Black Cherry</td><td>2</td><td>Pole/Log</td><td>9</td><td></td></tr><tr><td>White Pine</td><td>4</td><td>Pole/Log/XLog</td><td>9</td><td></td></tr><tr><td>Red Oak</td><td>1</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Basswood</td><td>1</td><td>Log/Pole</td><td>10</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	2	Pole/Log	8		Red Maple	5	Log/Pole	10		Bigtooth Aspen	85	Pole	8	58	Black Cherry	2	Pole/Log	9		White Pine	4	Pole/Log/XLog	9		Red Oak	1	Log/Pole	10		Basswood	1	Log/Pole	10		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Medium</td><td>>20 feet</td><td>>20 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Low	5 - 10 feet	5 - 10 feet	Ironwood	Medium	Variable	Variable	White Pine	Medium	Variable	Variable	White Pine	Medium	>20 feet	>20 feet
Canopy Species	% Cover	Size Class	DBH	Age																																																												
Sugar Maple	2	Pole/Log	8																																																													
Red Maple	5	Log/Pole	10																																																													
Bigtooth Aspen	85	Pole	8	58																																																												
Black Cherry	2	Pole/Log	9																																																													
White Pine	4	Pole/Log/XLog	9																																																													
Red Oak	1	Log/Pole	10																																																													
Basswood	1	Log/Pole	10																																																													
Sub-Canopy Species	Density	Avg. Height	Size																																																													
Beech	Low	5 - 10 feet	5 - 10 feet																																																													
Ironwood	Medium	Variable	Variable																																																													
White Pine	Medium	Variable	Variable																																																													
White Pine	Medium	>20 feet	>20 feet																																																													
110	3303 - Mixed Low Density Trees	None	1.3			No	Ground cover data copied from 2006 inventory. [2006 comments: Golden rod, mullein, sheep sorrel, junipers, oaks on perimeter, red pine planted in a row. Traces of leafy spurge/SKW/SJW.]																																																									
111	4319 - Mixed Upland Forest	Sawtimber Medium	2.9	79	81-110	N/A	Decent quality white pine. Thinned in Dec. 2019, residual BA about 110. Most of the aspen was removed.																																																									
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>25</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Basswood</td><td>10</td><td>Log</td><td>13</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>3</td><td>Log/Pole</td><td>10</td><td>76</td></tr><tr><td>White Pine</td><td>55</td><td>Log/Pole</td><td>12</td><td>79</td></tr><tr><td>Black Cherry</td><td>2</td><td>Pole</td><td>8</td><td></td></tr><tr><td>Sugar Maple</td><td>5</td><td>Log/Pole</td><td>10</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Maple	25	Log/Pole	10		Basswood	10	Log	13		Bigtooth Aspen	3	Log/Pole	10	76	White Pine	55	Log/Pole	12	79	Black Cherry	2	Pole	8		Sugar Maple	5	Log/Pole	10		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>White Pine</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Beech</td><td>Low</td><td>< 5 feet</td><td>< 5 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Low	Variable	Variable	Beech	Low	< 5 feet	< 5 feet													
Canopy Species	% Cover	Size Class	DBH	Age																																																												
Red Maple	25	Log/Pole	10																																																													
Basswood	10	Log	13																																																													
Bigtooth Aspen	3	Log/Pole	10	76																																																												
White Pine	55	Log/Pole	12	79																																																												
Black Cherry	2	Pole	8																																																													
Sugar Maple	5	Log/Pole	10																																																													
Sub-Canopy Species	Density	Avg. Height	Size																																																													
White Pine	Low	Variable	Variable																																																													
Beech	Low	< 5 feet	< 5 feet																																																													
112	500 - Water	None	20.2			No	Upper Woodcock Lake																																																									



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments				
113	4311 - Pine, Aspen Mix	Sawtimber Well	8.4	88	111-140	N/A	Nice white pine in various age classes. Could allow to self-thin as aspen falls out of canopy. Good cover for local diversity within larger aspen pole stand. Hardwoods more concentrated to the north and aspen to the south.				
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size	
Sugar Maple		5	Log/Pole	14		White Pine		Low	Variable	Variable	
Red Maple		10	Pole/Log	9		Ironwood		Low	>20 feet	>20 feet	
Basswood		5	Log/Pole	11		Autumn Olive		Trace	5 - 10 feet	5 - 10 feet	
Bigtooth Aspen		25	Pole/Log	8		Ironwood		Medium	Variable	Variable	
White Pine		50	Log/Pole/XLog	11	88						
Black Cherry		5	Pole/Log	8							
114	4110 - Sugar Maple Association	Sawtimber Medium	3.5	98	81-110	N/A	2026 BAs: 110, 100, 90. Thinned in 9/2010 (61-032-0801).				
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size		
Sugar Maple		68	Log/Pole	11	98	Beech		Low	Variable	Variable	
Red Maple		10	Log	12		Sugar Maple		Low	>20 feet	>20 feet	
Bigtooth Aspen		5	Log	14	86	Beech		Medium	< 5 feet	< 5 feet	
Basswood		15	Log	15		Black Cherry		Low	< 5 feet	< 5 feet	
Red Oak		2	XLog	26							
115	6119 - Mixed Lowland Deciduous Forest	Sawtimber Medium	6.0	110	51-80	N/A	Some understory viburnum, hawthorn. Conifers are concentrated east of creek. Hardwoods are west of stand. Higher BA in conifers than deciduous. Some snags and tip ups.				
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size		
Red Maple		15	Log/Pole	13		Northern White Cedar		Low	Variable	Variable	
Yellow Birch		5	Log/Pole	11		Hemlock		Low	Variable	Variable	
Basswood		40	Log/Pole	13	110	Black Ash		Medium	Variable	Variable	
Quaking Aspen		34	Log/Pole	13	59	Red Maple		Medium	Variable	Variable	
Northern White Cedar		3	Log/Pole	13		Japanese Barberry		Low	5 - 10 feet	5 - 10 feet	
Hemlock		2	Pole	8							
White Pine		1	Log	15							
116	42200 - Natural White Pine	Sawtimber Medium	1.7	46	81-110	N/A	Frost pocket opening that filled in. There are a few red pine scattered on the edges. Some Japanese barberry present.				
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size		
White Pine		78	Log/Pole	12	46	White Pine		Medium	Variable	Variable	
Black Cherry		20	Pole/Log	9		Beech		Low	Variable	Variable	
Red Pine		2	Log/Pole	12							



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																																		
117	4112 - Maple, Beech, Cherry Association	Sawtimber Well	21.8	102	141-170	N/A	*Land locked* GTRLC shares west and north boundary. Rd to south doesn't meet state land. Good quality sugar maple. 2026 BA: 170, 200, 190, 140, 90, 120, 150. Higher BA to the North. The BTA is concentrated in the SW corner. Understory hemlock is mostly in one patch. There are a few kettle depressions, and the E edge slopes down into wetland.																																																																		
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>67</td><td>Log/Pole</td><td>10</td><td>102</td></tr><tr><td>Red Maple</td><td>12</td><td>Log</td><td>14</td><td></td></tr><tr><td>Basswood</td><td>5</td><td>Log/XLog/Pole</td><td>16</td><td></td></tr><tr><td>Beech</td><td>5</td><td>Log/Pole/XLog</td><td>14</td><td></td></tr><tr><td>Red Oak</td><td>3</td><td>XLog</td><td>27</td><td></td></tr><tr><td>Black Cherry</td><td>5</td><td>Log</td><td>15</td><td></td></tr><tr><td>White Pine</td><td>1</td><td>Log</td><td>13</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>2</td><td>Log/Pole</td><td>11</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	67	Log/Pole	10	102	Red Maple	12	Log	14		Basswood	5	Log/XLog/Pole	16		Beech	5	Log/Pole/XLog	14		Red Oak	3	XLog	27		Black Cherry	5	Log	15		White Pine	1	Log	13		Bigtooth Aspen	2	Log/Pole	11		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Ironwood</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Hemlock</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Low	Variable	Variable	Sugar Maple	Low	>20 feet	>20 feet	Ironwood	Low	Variable	Variable	Hemlock	Low	>20 feet	>20 feet	Sugar Maple	Low	>20 feet	>20 feet
Canopy Species	% Cover	Size Class	DBH	Age																																																																					
Sugar Maple	67	Log/Pole	10	102																																																																					
Red Maple	12	Log	14																																																																						
Basswood	5	Log/XLog/Pole	16																																																																						
Beech	5	Log/Pole/XLog	14																																																																						
Red Oak	3	XLog	27																																																																						
Black Cherry	5	Log	15																																																																						
White Pine	1	Log	13																																																																						
Bigtooth Aspen	2	Log/Pole	11																																																																						
Sub-Canopy Species	Density	Avg. Height	Size																																																																						
Beech	Low	Variable	Variable																																																																						
Sugar Maple	Low	>20 feet	>20 feet																																																																						
Ironwood	Low	Variable	Variable																																																																						
Hemlock	Low	>20 feet	>20 feet																																																																						
Sugar Maple	Low	>20 feet	>20 feet																																																																						
118	6117 - Lowland Deciduous, Mixed Coniferous	Sawtimber Medium	6.6	168	81-110	N/A	Floodplain of Platte River; riparian zone. Not operable because of steep adjacent slopes and seeps at the base of the bluff. Open patches filled with cattails more on the W edge of stand, and trees more concentrated to E. Age of y. birch is estimated; transferred from 2006 aging of now-dead ash. Tip ups and snags are present.																																																																		
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>5</td><td>Log/Pole</td><td>12</td><td></td></tr><tr><td>Red Maple</td><td>20</td><td>Log</td><td>16</td><td></td></tr><tr><td>Yellow Birch</td><td>55</td><td>Log/Pole</td><td>14</td><td>168</td></tr><tr><td>Hemlock</td><td>15</td><td>Log/Pole/XLog</td><td>12</td><td></td></tr><tr><td></td><td></td><td></td><td></td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	5	Log/Pole	12		Red Maple	20	Log	16		Yellow Birch	55	Log/Pole	14	168	Hemlock	15	Log/Pole/XLog	12							<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Black Ash</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Northern White Cedar</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Beech</td><td>Low</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Cattail spp.</td><td>Medium</td><td>Not Applicable</td><td>Not Applicable</td></tr><tr><td></td><td></td><td></td><td></td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Ash	Low	>20 feet	>20 feet	Northern White Cedar	Low	>20 feet	>20 feet	Beech	Low	10 - 20 feet	10 - 20 feet	Cattail spp.	Medium	Not Applicable	Not Applicable																			
Canopy Species	% Cover	Size Class	DBH	Age																																																																					
Sugar Maple	5	Log/Pole	12																																																																						
Red Maple	20	Log	16																																																																						
Yellow Birch	55	Log/Pole	14	168																																																																					
Hemlock	15	Log/Pole/XLog	12																																																																						
Sub-Canopy Species	Density	Avg. Height	Size																																																																						
Black Ash	Low	>20 feet	>20 feet																																																																						
Northern White Cedar	Low	>20 feet	>20 feet																																																																						
Beech	Low	10 - 20 feet	10 - 20 feet																																																																						
Cattail spp.	Medium	Not Applicable	Not Applicable																																																																						
120	6239 - Mixed Emergent Wetland	None	4.8			No	Platte River and bottoms. Some alder/willow, mostly open. Few ducks boxes.																																																																		
121	4130 - Aspen	Poletimber Well	14.9	57	111-140	N/A	Intersection corner has lots of sugar maple saplings. Oak looks promising. Sugar maple saplings fairly distributed with a couple patches. Aspen is slightly larger than average to the west, maybe a bit older. More hardwood species along the road. Small opening along road at east end of stand. Heavy deer bedding.																																																																		
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>5</td><td>Log/Pole</td><td>11</td><td></td></tr><tr><td>Red Maple</td><td>4</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>Red Oak</td><td>19</td><td>Log/Pole</td><td>13</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>70</td><td>Pole</td><td>8</td><td>57</td></tr><tr><td>White Pine</td><td>2</td><td>Log</td><td>16</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	5	Log/Pole	11		Red Maple	4	Log/Pole	10		Red Oak	19	Log/Pole	13		Bigtooth Aspen	70	Pole	8	57	White Pine	2	Log	16		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Sugar Maple</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Red Maple</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Ironwood</td><td>Trace</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Red Oak</td><td>Low</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Medium	Variable	Variable	Red Maple	Low	Variable	Variable	Ironwood	Medium	Variable	Variable	Ironwood	Trace	>20 feet	>20 feet	Red Oak	Low	Variable	Variable															
Canopy Species	% Cover	Size Class	DBH	Age																																																																					
Sugar Maple	5	Log/Pole	11																																																																						
Red Maple	4	Log/Pole	10																																																																						
Red Oak	19	Log/Pole	13																																																																						
Bigtooth Aspen	70	Pole	8	57																																																																					
White Pine	2	Log	16																																																																						
Sub-Canopy Species	Density	Avg. Height	Size																																																																						
Sugar Maple	Medium	Variable	Variable																																																																						
Red Maple	Low	Variable	Variable																																																																						
Ironwood	Medium	Variable	Variable																																																																						
Ironwood	Trace	>20 feet	>20 feet																																																																						
Red Oak	Low	Variable	Variable																																																																						



MICHIGAN

Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																									
122	4119 - Mixed Northern Hardwoods	Poletimber Well	8.6	95	111-140	N/A	2026 BA: 130, 110, 120, 120. Traces of beech, cherry. Numerous multi-stemmed maple. Some veteran white pine, red oak.																																																									
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>49</td><td>Log/Pole</td><td>11</td><td>95</td></tr><tr><td>Red Maple</td><td>10</td><td>Log/Pole</td><td>11</td><td></td></tr><tr><td>Red Oak</td><td>33</td><td>Log/Pole/XLog</td><td>11</td><td></td></tr><tr><td>White Pine</td><td>5</td><td>Log/Pole</td><td>14</td><td></td></tr><tr><td>Beech</td><td>1</td><td>Log</td><td>12</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>2</td><td>Log/Pole</td><td>10</td><td>57</td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	49	Log/Pole	11	95	Red Maple	10	Log/Pole	11		Red Oak	33	Log/Pole/XLog	11		White Pine	5	Log/Pole	14		Beech	1	Log	12		Bigtooth Aspen	2	Log/Pole	10	57	<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>Beech</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Trace</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Medium	Variable	Variable	Beech	Low	Variable	Variable	White Pine	Trace	Variable	Variable										
Canopy Species	% Cover	Size Class	DBH	Age																																																												
Sugar Maple	49	Log/Pole	11	95																																																												
Red Maple	10	Log/Pole	11																																																													
Red Oak	33	Log/Pole/XLog	11																																																													
White Pine	5	Log/Pole	14																																																													
Beech	1	Log	12																																																													
Bigtooth Aspen	2	Log/Pole	10	57																																																												
Sub-Canopy Species	Density	Avg. Height	Size																																																													
Ironwood	Medium	Variable	Variable																																																													
Beech	Low	Variable	Variable																																																													
White Pine	Trace	Variable	Variable																																																													
123	122 - Road/Parking Lot	None	2.3			No	Burnt Mill Rd and Oakley Rd																																																									
124	4130 - Aspen	Sapling Well	8.5	6	Unspecified	N/A	Clearcut in Jan. 2020 (61-019-18). A patch of hardwoods was retained along the road, plus some mature white pine and other scattered residuals.																																																									
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>2</td><td>Log</td><td>12</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>95</td><td>Sapling</td><td>1</td><td>6</td></tr><tr><td>White Pine</td><td>1</td><td>Log</td><td>13</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>2</td><td>Log/Pole</td><td>10</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	2	Log	12		Bigtooth Aspen	95	Sapling	1	6	White Pine	1	Log	13		Bigtooth Aspen	2	Log/Pole	10		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Trace</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>White Pine</td><td>Trace</td><td>Variable</td><td>Variable</td></tr><tr><td>Ironwood</td><td>Low</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Trace	< 5 feet	< 5 feet	White Pine	Trace	Variable	Variable	Ironwood	Low	Variable	Variable																				
Canopy Species	% Cover	Size Class	DBH	Age																																																												
Sugar Maple	2	Log	12																																																													
Bigtooth Aspen	95	Sapling	1	6																																																												
White Pine	1	Log	13																																																													
Bigtooth Aspen	2	Log/Pole	10																																																													
Sub-Canopy Species	Density	Avg. Height	Size																																																													
Beech	Trace	< 5 feet	< 5 feet																																																													
White Pine	Trace	Variable	Variable																																																													
Ironwood	Low	Variable	Variable																																																													
125	4191 - Mixed Upland Deciduous with Conifer	Sawtimber Medium	7.0	81	51-80	N/A	2026 BA: 70, 80, 90, 60, 70. Some large, veteran WP & SM, traces of hemlock. Multi-aged WP, aged tree (2006) was of median size. Thinned in February 2020 (61-005-18).																																																									
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>20</td><td>Pole/Log</td><td>7</td><td></td></tr><tr><td>Red Maple</td><td>3</td><td>Log</td><td>12</td><td></td></tr><tr><td>Red Oak</td><td>25</td><td>Log</td><td>14</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>8</td><td>Pole</td><td>8</td><td>60</td></tr><tr><td>White Pine</td><td>40</td><td>Log/Pole/XLog</td><td>12</td><td>81</td></tr><tr><td>Beech</td><td>1</td><td>XLog/Log</td><td>19</td><td></td></tr><tr><td>Black Cherry</td><td>2</td><td>Log/Pole</td><td>11</td><td></td></tr><tr><td>Basswood</td><td>1</td><td>XLog/Log</td><td>18</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	20	Pole/Log	7		Red Maple	3	Log	12		Red Oak	25	Log	14		Bigtooth Aspen	8	Pole	8	60	White Pine	40	Log/Pole/XLog	12	81	Beech	1	XLog/Log	19		Black Cherry	2	Log/Pole	11		Basswood	1	XLog/Log	18		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Ironwood</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Sugar Maple</td><td>Medium</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Low	Variable	Variable	White Pine	Low	Variable	Variable	Sugar Maple	Medium	Variable	Variable
Canopy Species	% Cover	Size Class	DBH	Age																																																												
Sugar Maple	20	Pole/Log	7																																																													
Red Maple	3	Log	12																																																													
Red Oak	25	Log	14																																																													
Bigtooth Aspen	8	Pole	8	60																																																												
White Pine	40	Log/Pole/XLog	12	81																																																												
Beech	1	XLog/Log	19																																																													
Black Cherry	2	Log/Pole	11																																																													
Basswood	1	XLog/Log	18																																																													
Sub-Canopy Species	Density	Avg. Height	Size																																																													
Ironwood	Low	Variable	Variable																																																													
White Pine	Low	Variable	Variable																																																													
Sugar Maple	Medium	Variable	Variable																																																													
126	4112 - Maple, Beech, Cherry Association	Poletimber Poor	1.3	55	1-50	N/A	Closer to 50% canopy cover. Open spot in the middle. Likely from landing for neighboring sale.																																																									
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>70</td><td>Pole/Sapling</td><td>6</td><td>55</td></tr><tr><td>Black Cherry</td><td>8</td><td>Log</td><td>14</td><td></td></tr><tr><td>Quaking Aspen</td><td>2</td><td>Pole</td><td>7</td><td></td></tr><tr><td>Red Oak</td><td>5</td><td>Pole/Log</td><td>8</td><td></td></tr><tr><td>White Pine</td><td>10</td><td>Log</td><td>13</td><td></td></tr><tr><td>Red Maple</td><td>5</td><td>Log</td><td>10</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age	Sugar Maple	70	Pole/Sapling	6	55	Black Cherry	8	Log	14		Quaking Aspen	2	Pole	7		Red Oak	5	Pole/Log	8		White Pine	10	Log	13		Red Maple	5	Log	10		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Sugar Maple</td><td>Medium</td><td>Variable</td><td>Variable</td></tr><tr><td>White Pine</td><td>Medium</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Medium	Variable	Variable	White Pine	Medium	Variable	Variable														
Canopy Species	% Cover	Size Class	DBH	Age																																																												
Sugar Maple	70	Pole/Sapling	6	55																																																												
Black Cherry	8	Log	14																																																													
Quaking Aspen	2	Pole	7																																																													
Red Oak	5	Pole/Log	8																																																													
White Pine	10	Log	13																																																													
Red Maple	5	Log	10																																																													
Sub-Canopy Species	Density	Avg. Height	Size																																																													
Sugar Maple	Medium	Variable	Variable																																																													
White Pine	Medium	Variable	Variable																																																													



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																												
127	4130 - Aspen	Sapling Medium	7.6	6	Unspecified	N/A	Clearcut in February 2020 (61-005-18) with 3 small retention islands plus some scattered mature white pine, hemlock, sugar maple, aspen. Too young to determine if cherry is black cherry or pin cherry.																																																												
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Oak</td><td>5</td><td>Sapling</td><td>2</td><td></td></tr><tr><td>White Pine</td><td>2</td><td>Log</td><td>16</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>80</td><td>Sapling</td><td>1</td><td>6</td></tr><tr><td>Red Maple</td><td>3</td><td>Sapling</td><td>2</td><td></td></tr><tr><td>Black Cherry</td><td>8</td><td>Sapling</td><td>1</td><td>6</td></tr><tr><td>Red Oak</td><td>2</td><td>Log/XLog</td><td>17</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Oak	5	Sapling	2		White Pine	2	Log	16		Bigtooth Aspen	80	Sapling	1	6	Red Maple	3	Sapling	2		Black Cherry	8	Sapling	1	6	Red Oak	2	Log/XLog	17		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Cherry (spp.)</td><td>Medium</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Blackberry/Raspberry</td><td>Medium</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Ironwood</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Cherry (spp.)	Medium	5 - 10 feet	5 - 10 feet	Blackberry/Raspberry	Medium	5 - 10 feet	5 - 10 feet	Ironwood	Low	Variable	Variable	Beech	Low	5 - 10 feet	5 - 10 feet								
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Red Oak	5	Sapling	2																																																																
White Pine	2	Log	16																																																																
Bigtooth Aspen	80	Sapling	1	6																																																															
Red Maple	3	Sapling	2																																																																
Black Cherry	8	Sapling	1	6																																																															
Red Oak	2	Log/XLog	17																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Cherry (spp.)	Medium	5 - 10 feet	5 - 10 feet																																																																
Blackberry/Raspberry	Medium	5 - 10 feet	5 - 10 feet																																																																
Ironwood	Low	Variable	Variable																																																																
Beech	Low	5 - 10 feet	5 - 10 feet																																																																
128	42201 - Natural White Pine, Mixed Deciduous	Sawtimber Well	5.7	66	81-110	N/A	This stand was retained for a wildlife cover corridor between red pine and aspen regeneration cuts to the west and east, respectively. There are some older, veteran white pine. White pine ages are variable. Stand is almost all on a side hill.																																																												
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Maple</td><td>4</td><td>Pole/Log</td><td>9</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>35</td><td>Log/Pole</td><td>12</td><td>92</td></tr><tr><td>White Pine</td><td>60</td><td>Log/XLog/Pole</td><td>15</td><td>66</td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Maple	4	Pole/Log	9		Bigtooth Aspen	35	Log/Pole	12	92	White Pine	60	Log/XLog/Pole	15	66	<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>White Pine</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Red Maple</td><td>Low</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	White Pine	Low	>20 feet	>20 feet	Red Maple	Low	Variable	Variable																															
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Red Maple	4	Pole/Log	9																																																																
Bigtooth Aspen	35	Log/Pole	12	92																																																															
White Pine	60	Log/XLog/Pole	15	66																																																															
Sub-Canopy Species	Density	Avg. Height	Size																																																																
White Pine	Low	>20 feet	>20 feet																																																																
Red Maple	Low	Variable	Variable																																																																
129	4112 - Maple, Beech, Cherry Association	Sawtimber Well	15.4	98	81-110	N/A	2026 BA: 90, 100, 100, 130, 100, 90. Scattered cherry stump sprouts from last harvest. Some planted RP within hardwood stand, edges of adjacent plantations transitioning into hardwoods. Rolling terrain. Some nice, straight RM. Higher BA with smaller DBH trees to north. Thinned in 8/2010 (61-007-0801).																																																												
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>30</td><td>Log/Pole</td><td>11</td><td></td></tr><tr><td>Red Maple</td><td>60</td><td>Log/Pole</td><td>13</td><td>98</td></tr><tr><td>Bigtooth Aspen</td><td>2</td><td>XLog/Log</td><td>18</td><td></td></tr><tr><td>Red Pine</td><td>2</td><td>Pole/Log</td><td>8</td><td>71</td></tr><tr><td>Black Cherry</td><td>5</td><td>Log/Pole</td><td>14</td><td></td></tr><tr><td>White Pine</td><td>1</td><td>Log</td><td>12</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	30	Log/Pole	11		Red Maple	60	Log/Pole	13	98	Bigtooth Aspen	2	XLog/Log	18		Red Pine	2	Pole/Log	8	71	Black Cherry	5	Log/Pole	14		White Pine	1	Log	12		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>White Pine</td><td>Low</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Beech</td><td>High</td><td>Variable</td><td>Variable</td></tr><tr><td>Beech</td><td>Low</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Black Cherry</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Sugar Maple	Low	>20 feet	>20 feet	White Pine	Low	< 5 feet	< 5 feet	Beech	High	Variable	Variable	Beech	Low	10 - 20 feet	10 - 20 feet	Black Cherry	Trace	5 - 10 feet	5 - 10 feet				
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Sugar Maple	30	Log/Pole	11																																																																
Red Maple	60	Log/Pole	13	98																																																															
Bigtooth Aspen	2	XLog/Log	18																																																																
Red Pine	2	Pole/Log	8	71																																																															
Black Cherry	5	Log/Pole	14																																																																
White Pine	1	Log	12																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Sugar Maple	Low	>20 feet	>20 feet																																																																
White Pine	Low	< 5 feet	< 5 feet																																																																
Beech	High	Variable	Variable																																																																
Beech	Low	10 - 20 feet	10 - 20 feet																																																																
Black Cherry	Trace	5 - 10 feet	5 - 10 feet																																																																
130	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	17.5	106	51-80	N/A	Shore-to-Shore Trail through stand on Hooker Rd. Stand was thinned in fall 2011 (61-013-08); whole tree/chip harvested. Beech scale is present. 2026 BAs: 80, 60, 100, 60, 40, 70. There are numerous promising patches of dense advanced sugar maple saplings (2-3" DBH) and red/sugar maple poles. Newer regeneration gaps from 2011 are mostly just filling in with beech and ironwood sapling.																																																												
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>35</td><td>Log/Pole</td><td>12</td><td>106</td></tr><tr><td>Red Maple</td><td>30</td><td>Log/XLog/Pole</td><td>12</td><td></td></tr><tr><td>Beech</td><td>25</td><td>Log/XLog/Pole</td><td>16</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>1</td><td>Log/Pole</td><td>12</td><td>80</td></tr><tr><td>Black Cherry</td><td>8</td><td>Log</td><td>11</td><td></td></tr><tr><td>Ironwood</td><td>1</td><td>Pole</td><td>5</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	35	Log/Pole	12	106	Red Maple	30	Log/XLog/Pole	12		Beech	25	Log/XLog/Pole	16		Bigtooth Aspen	1	Log/Pole	12	80	Black Cherry	8	Log	11		Ironwood	1	Pole	5		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>Medium</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Ironwood</td><td>Low</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Sugar Maple</td><td>Low</td><td>Variable</td><td>Variable</td></tr><tr><td>Hemlock</td><td>Trace</td><td>10 - 20 feet</td><td>10 - 20 feet</td></tr><tr><td>Sugar Maple</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	Medium	>20 feet	>20 feet	Ironwood	Low	< 5 feet	< 5 feet	Sugar Maple	Low	Variable	Variable	Hemlock	Trace	10 - 20 feet	10 - 20 feet	Sugar Maple	Low	>20 feet	>20 feet	Ironwood	Medium	Variable	Variable
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Sugar Maple	35	Log/Pole	12	106																																																															
Red Maple	30	Log/XLog/Pole	12																																																																
Beech	25	Log/XLog/Pole	16																																																																
Bigtooth Aspen	1	Log/Pole	12	80																																																															
Black Cherry	8	Log	11																																																																
Ironwood	1	Pole	5																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Beech	Medium	>20 feet	>20 feet																																																																
Ironwood	Low	< 5 feet	< 5 feet																																																																
Sugar Maple	Low	Variable	Variable																																																																
Hemlock	Trace	10 - 20 feet	10 - 20 feet																																																																
Sugar Maple	Low	>20 feet	>20 feet																																																																
Ironwood	Medium	Variable	Variable																																																																
131	4112 - Maple, Beech, Cherry Association	Sawtimber Medium	24.8	106	81-110	N/A	Thinned in 2010 (61-007-08-01). 2026 BAs: 90, 90, 80, 100, 80, 70). Heavy beech and ironwood understory. Some really nice straight log sugar maple. Some small, open kettle with aspen and cherry concentrated on those hillsides. depressions. Fair amount of CWD. Groups of large, old beech and old bigtooth aspen clones. Most hemlock is missing its tops. Trout lily, dutchman's breeches.																																																												
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Sugar Maple</td><td>36</td><td>Log/Pole</td><td>12</td><td></td></tr><tr><td>Red Maple</td><td>40</td><td>Log/Pole</td><td>14</td><td>106</td></tr><tr><td>Beech</td><td>12</td><td>Log/XLog/Pole</td><td>17</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>5</td><td>Log</td><td>16</td><td></td></tr><tr><td>Black Cherry</td><td>7</td><td>Log/Pole</td><td>15</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Sugar Maple	36	Log/Pole	12		Red Maple	40	Log/Pole	14	106	Beech	12	Log/XLog/Pole	17		Bigtooth Aspen	5	Log	16		Black Cherry	7	Log/Pole	15		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Beech</td><td>High</td><td>Variable</td><td>Variable</td></tr><tr><td>Hemlock</td><td>Low</td><td>>20 feet</td><td>>20 feet</td></tr><tr><td>Ironwood</td><td>Medium</td><td>Variable</td><td>Variable</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Beech	High	Variable	Variable	Hemlock	Low	>20 feet	>20 feet	Ironwood	Medium	Variable	Variable																	
Canopy Species	% Cover	Size Class	DBH	Age																																																															
Sugar Maple	36	Log/Pole	12																																																																
Red Maple	40	Log/Pole	14	106																																																															
Beech	12	Log/XLog/Pole	17																																																																
Bigtooth Aspen	5	Log	16																																																																
Black Cherry	7	Log/Pole	15																																																																
Sub-Canopy Species	Density	Avg. Height	Size																																																																
Beech	High	Variable	Variable																																																																
Hemlock	Low	>20 feet	>20 feet																																																																
Ironwood	Medium	Variable	Variable																																																																



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments																																																																
132	4130 - Aspen	Sapling Well	5.2	16	Immature	N/A	Clearcut in fall 2010 (610070801). Some mature hardwoods retained. Aspen is over 20 ft tall.																																																																
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Bigtooth Aspen</td><td>72</td><td>Sapling</td><td>1</td><td>16</td></tr><tr><td>Black Cherry</td><td>25</td><td>Sapling</td><td>1</td><td>16</td></tr><tr><td>Red Maple</td><td>3</td><td>Sapling/Pole/Log</td><td>4</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Bigtooth Aspen	72	Sapling	1	16	Black Cherry	25	Sapling	1	16	Red Maple	3	Sapling/Pole/Log	4		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Black Cherry</td><td>High</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Beech</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Black Cherry	High	5 - 10 feet	5 - 10 feet	Beech	Low	5 - 10 feet	5 - 10 feet																																			
Canopy Species	% Cover	Size Class	DBH	Age																																																																			
Bigtooth Aspen	72	Sapling	1	16																																																																			
Black Cherry	25	Sapling	1	16																																																																			
Red Maple	3	Sapling/Pole/Log	4																																																																				
Sub-Canopy Species	Density	Avg. Height	Size																																																																				
Black Cherry	High	5 - 10 feet	5 - 10 feet																																																																				
Beech	Low	5 - 10 feet	5 - 10 feet																																																																				
133	4130 - Aspen	Sapling Well	5.2	6	Unspecified	N/A	Clearcut in Dec. 2019 (61-019-18). Scattered mature aspen, pine, and oak retained. There is some quaking aspen, however, mostly bigtooth. * try to get better % for BTA and QA during leafout*																																																																
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Bigtooth Aspen</td><td>92</td><td>Sapling</td><td>1</td><td>6</td></tr><tr><td>Quaking Aspen</td><td>5</td><td>Sapling</td><td>1</td><td>6</td></tr><tr><td>Red Oak</td><td>1</td><td>Log</td><td>11</td><td></td></tr><tr><td>Bigtooth Aspen</td><td>1</td><td>Pole/Log</td><td>8</td><td></td></tr><tr><td>White Pine</td><td>1</td><td>Log</td><td>12</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Bigtooth Aspen	92	Sapling	1	6	Quaking Aspen	5	Sapling	1	6	Red Oak	1	Log	11		Bigtooth Aspen	1	Pole/Log	8		White Pine	1	Log	12		<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Ironwood</td><td>Low</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>White Pine</td><td>Trace</td><td>< 5 feet</td><td>< 5 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Ironwood	Low	< 5 feet	< 5 feet	White Pine	Trace	< 5 feet	< 5 feet																									
Canopy Species	% Cover	Size Class	DBH	Age																																																																			
Bigtooth Aspen	92	Sapling	1	6																																																																			
Quaking Aspen	5	Sapling	1	6																																																																			
Red Oak	1	Log	11																																																																				
Bigtooth Aspen	1	Pole/Log	8																																																																				
White Pine	1	Log	12																																																																				
Sub-Canopy Species	Density	Avg. Height	Size																																																																				
Ironwood	Low	< 5 feet	< 5 feet																																																																				
White Pine	Trace	< 5 feet	< 5 feet																																																																				
134	42111 - Planted Red Pine, Mixed Deciduous	Sapling Well	6.8	6	Immature	N/A	RP about 2-3 feet tall. 9/12/2023 - Year 3 Regen Survey was completed, 9/12/2023. Stand currently has 915 trees per acre. Stand is currently 32% Free to Grow 11/9/2021 - Year 1 regeneration survey completed. Stand has approximately 908 trees per acre. Stand is not currently free to grow at this time, however treatment says mix of hardwood, aspen and jack pine are acceptable.. Check stand for year 3 regeneration survey is also recommended. Clearcut in 1/2010 under TSC #610320801. Aspen regeneration is patchy, and a very high percentage have damage from antler rubbing. Lots of ironwood coming up outside of the aspen patches, but some white pine seedlings are starting to fill in. Site was roller chopped Oct. 2018 to set back deciduous regen and prepare the site for RP planting. Trenched 2020. Planted April 2021.																																																																
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Red Oak</td><td>10</td><td>Pole/Log</td><td>9</td><td>56</td></tr><tr><td>White Pine</td><td>10</td><td>Pole/Log/Sap</td><td>8</td><td>56</td></tr><tr><td>Sugar Maple</td><td>10</td><td>Sapling</td><td>1</td><td></td></tr><tr><td>Red Pine</td><td>60</td><td>Sapling</td><td>1</td><td>6</td></tr><tr><td>Bigtooth Aspen</td><td>10</td><td>Sapling</td><td>1</td><td></td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Red Oak	10	Pole/Log	9	56	White Pine	10	Pole/Log/Sap	8	56	Sugar Maple	10	Sapling	1		Red Pine	60	Sapling	1	6	Bigtooth Aspen	10	Sapling	1																																								
Canopy Species	% Cover	Size Class	DBH	Age																																																																			
Red Oak	10	Pole/Log	9	56																																																																			
White Pine	10	Pole/Log/Sap	8	56																																																																			
Sugar Maple	10	Sapling	1																																																																				
Red Pine	60	Sapling	1	6																																																																			
Bigtooth Aspen	10	Sapling	1																																																																				
135	4130 - Aspen	Sapling Poor	4.9	16	Immature	N/A	General DBH 2-3". Clearcut in 9/2010 (61-032-0801). Some scattered RO, SM, WA, WP, EH, WB, RM retained. Aspen regeneration is patchy; unstocked areas are filling in with cherry. White pine is concentrated in the SW part of the stand. Landing in center of stand.																																																																
<table><tr><th>Canopy Species</th><th>% Cover</th><th>Size Class</th><th>DBH</th><th>Age</th></tr><tr><td>Bigtooth Aspen</td><td>74</td><td>Sapling</td><td>3</td><td>16</td></tr><tr><td>Hemlock</td><td>1</td><td>Pole/Sapling</td><td>6</td><td></td></tr><tr><td>Red Oak</td><td>4</td><td>Log/Pole</td><td>12</td><td></td></tr><tr><td>Sugar Maple</td><td>4</td><td>Pole/Log</td><td>9</td><td></td></tr><tr><td>Red Maple</td><td>2</td><td>Log/Pole</td><td>10</td><td></td></tr><tr><td>White Pine</td><td>15</td><td>Pole/Log</td><td>8</td><td>50</td></tr></table>		Canopy Species	% Cover	Size Class	DBH	Age		Bigtooth Aspen	74	Sapling	3	16	Hemlock	1	Pole/Sapling	6		Red Oak	4	Log/Pole	12		Sugar Maple	4	Pole/Log	9		Red Maple	2	Log/Pole	10		White Pine	15	Pole/Log	8	50	<table><tr><th>Sub-Canopy Species</th><th>Density</th><th>Avg. Height</th><th>Size</th></tr><tr><td>Red Pine</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Red Oak</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Black Cherry</td><td>Low</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Black Cherry</td><td>Medium</td><td>< 5 feet</td><td>< 5 feet</td></tr><tr><td>Ironwood</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Beech</td><td>Trace</td><td>5 - 10 feet</td><td>5 - 10 feet</td></tr><tr><td>Blackberry/Raspberry</td><td>Medium</td><td>< 5 feet</td><td>< 5 feet</td></tr></table>		Sub-Canopy Species	Density	Avg. Height	Size	Red Pine	Trace	5 - 10 feet	5 - 10 feet	Red Oak	Trace	5 - 10 feet	5 - 10 feet	Black Cherry	Low	5 - 10 feet	5 - 10 feet	Black Cherry	Medium	< 5 feet	< 5 feet	Ironwood	Trace	5 - 10 feet	5 - 10 feet	Beech	Trace	5 - 10 feet	5 - 10 feet	Blackberry/Raspberry	Medium	< 5 feet	< 5 feet
Canopy Species	% Cover	Size Class	DBH	Age																																																																			
Bigtooth Aspen	74	Sapling	3	16																																																																			
Hemlock	1	Pole/Sapling	6																																																																				
Red Oak	4	Log/Pole	12																																																																				
Sugar Maple	4	Pole/Log	9																																																																				
Red Maple	2	Log/Pole	10																																																																				
White Pine	15	Pole/Log	8	50																																																																			
Sub-Canopy Species	Density	Avg. Height	Size																																																																				
Red Pine	Trace	5 - 10 feet	5 - 10 feet																																																																				
Red Oak	Trace	5 - 10 feet	5 - 10 feet																																																																				
Black Cherry	Low	5 - 10 feet	5 - 10 feet																																																																				
Black Cherry	Medium	< 5 feet	< 5 feet																																																																				
Ironwood	Trace	5 - 10 feet	5 - 10 feet																																																																				
Beech	Trace	5 - 10 feet	5 - 10 feet																																																																				
Blackberry/Raspberry	Medium	< 5 feet	< 5 feet																																																																				



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments		
136	4130 - Aspen	Sapling Medium	12.5	15	Immature	N/A	Clearcut in fall 2011 (61-013-08), with scattered residuals. Residuals include a few beech, oak, and white pine in addition to the listed species. Generally well stocked with aspen regeneration, but there are some sparse or unstocked patches.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Bigtooth Aspen	96	Sapling	3	15	Ironwood	Low		Variable	Variable
Sugar Maple	1	Log/Pole	10		Blackberry/Raspberry	Low		5 - 10 feet	5 - 10 feet
Red Maple	1	Log/Pole	10		Beech	Trace		< 5 feet	< 5 feet
Black Cherry	1	Log	12		Cherry (spp.)	Low		Variable	Variable
Sugar Maple	1	Sapling	3	15					
137	4130 - Aspen	Sapling Well	8.2	15	1-50	N/A	Clearcut in fall 2011 (61-013-08), with scattered residual white pine and hardwoods. Residual WP is denser to the north. BA low due to residuals in immature stand.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Bigtooth Aspen	75	Sapling	3	15	Red Pine	Trace		< 5 feet	< 5 feet
Red Maple	8	Log/Pole	11		Ironwood	Low		Variable	Variable
Sugar Maple	2	Log/Pole	10						
White Pine	14	Log/Pole	11	57					
Ironwood	1	Sapling	2						
138	4130 - Aspen	Sapling Well	33.3	6	Unspecified	N/A	Clearcut in Dec. 2019 (61-019-18). Five patches of mature timber retained, plus uncut strips adjacent to wetlands and scattered mature oak, pine, maple and elm.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Red Oak	3	Log	12		Beech	Low		< 5 feet	< 5 feet
Bigtooth Aspen	85	Sapling	1	6	White Pine	Trace		Variable	Variable
White Pine	1	Log	13		Ironwood	Low		5 - 10 feet	5 - 10 feet
Red Pine	3	Pole	9						
Bigtooth Aspen	8	Pole	9	48					
139	4130 - Aspen	Sapling Well	25.0	6	Immature	N/A	Clearcut March 2020 (61-016-18) with 3 retention islands and scattered residual maple, red oak, white pine, and a couple hemlock. There is aspen regeneration but it is patchy. Fair amount of red maple and red oak stump sprouting.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Sugar Maple	1	Log	13		Beech	Trace		< 5 feet	< 5 feet
Red Oak	2	Log	15		Ironwood	Medium		< 5 feet	< 5 feet
Bigtooth Aspen	2	Pole/Log	9						
Bigtooth Aspen	78	Sapling	1	6					
White Pine	1	Log	17						
Red Maple	6	Sapling	1	6					
Red Oak	10	Sapling	1	6					
140	4130 - Aspen	Sapling Well	18.4	6	Immature	N/A	Clearcut April 2020 (61-016-18), with scattered residual white pine, red oak, red maple, cherry, and aspen. Road is currently grown in with saplings.		
Canopy Species	% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density		Avg. Height	Size
Bigtooth Aspen	96	Sapling	1	6	Red Maple	Low		5 - 10 feet	5 - 10 feet
Red Maple	1	Sapling	1	6	Beech	Low		5 - 10 feet	5 - 10 feet
Red Oak	2	Log	14		Cherry (spp.)	Trace		5 - 10 feet	5 - 10 feet
White Pine	1	Log	12		Ironwood	Low		Variable	Variable



Stand	Level 4 Cover Type	Size Density	Acres	Stand Age	BA Range	Managed Site	General Comments			
141	4112 - Maple, Beech, Cherry Association	Sapling Poor	1.7	5	1-50	N/A	Clearcut October 2020 with scattered residuals (61-060-18). Poorly regenerating, with patchy cherry (species unknown) and some aspen. Some sugar maple and red maple were left as residuals.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species		Density	Avg. Height	Size
Sugar Maple		20	Log	13		Blackberry/Raspberry		Medium	5 - 10 feet	5 - 10 feet
Red Maple		20	Log	13						
Black Cherry		55	Sapling	1	5					
Bigtooth Aspen		5	Sapling	1	5					
142	4112 - Maple, Beech, Cherry Association	Sawtimber Well	7.4	101	111-140	N/A	Riparian area next to Eliza Lake, steep slopes making it inoperable.			
Canopy Species		% Cover	Size Class	DBH	Age	Sub-Canopy Species	Density	Avg. Height	Size	
Sugar Maple		20	Log/Pole	10		Sugar Maple	Low	>20 feet	>20 feet	
Red Maple		70	Log/Pole	14	101	Beech	Trace	>20 feet	>20 feet	
Bigtooth Aspen		5	Log	17	82	Beech	Low	Variable	Variable	
Black Cherry		5	Log/Pole	12						